

V&V Summary Report

L2 ASCDS Version : 8.2.1

Observation 1140 - L2 Version 4
Chandra X-Ray Center

L2 Processing Date : Jan 12 2010

See axaff01140N001_VV001_vvref2.pdf for the full report

V&V Scientist	Beth Sundheim
V&V Date (YYYY-MM-DD)	2010.02.01
V&V Edition	1
V&V Disposition and Status	OK
V&V Charge Time	0.795

Comments

This observation was performed with a large SIM offset, per PI request. As a result, the fid light positions are offset beyond normally expected ranges, but the fid light position correction has compensated for this offset.

==

Slot 7 was not utilized in this observation.

seq_num	280090	Sequence number
obs_id	1140	Observation id
title	 	Proposal title
observer	Dr. CXC Calibration	Principal investigator
object	HR1099	Source name
ra_targ	54.197083	Observer's specified target RA
dec_targ	0.589972	Observer's specified target Dec
ra_nom	54.207786416851	Nominal RA
dec_nom	0.52964541128279	Nominal Dec
roll_nom	98.078728001272	Nominal Roll
revision	4	Processing version of data
ontime	795.65627857298	[s]
livetime	788.58328089131	Ontime multiplied by DTCOR
l2events	38416	Number of level 2 events

