

V&V Summary Report

L2 ASCDS Version : 8.4.5

Observation 2650 - L2 Version 3
Chandra X-Ray Center

L2 Processing Date : Oct 11 2012

See axaff02650N002_VV001_vvref2.pdf for the full report

V&V Scientist	Jen Lauer
V&V Date (YYYY-MM-DD)	2012.10.22
V&V Edition	1
V&V Disposition and Status	OK
V&V Charge Time	1.18

Comments

Charge time for this ObsId remains at previous value of 1.18 ks, although with the new processing the charge time would have been 1.14 ksec. Monitor constraint met

seq_num	290206	Sequence number
obs_id	2650	Observation id
title	AO3B HRC-S CALIBRATION OBSERVATION: MINI-SCAN OF ARLAC	Proposal ti
observer	Dr. CXC Calibration	Principal investigator
object	ARLAC	Source name
ra_targ	332.17	Observer's specified target RA [deg]
dec_targ	45.742306	Observer's specified target Dec [deg]
ra_nom	332.16317200113	Nominal RA [deg]
dec_nom	45.744209348724	Nominal Dec [deg]
roll_nom	165.98256481752	Nominal Roll [deg]
revision	3	Processing version of data
ontime	1142.1062970459	[s]
livetime	875.18519893271	Ontime multiplied by DTCOR
l2events	166938	Number of level 2 events

