

V&V Summary Report

L2 ASCDS Version : 7.6.8.1

Observation 4440 - L2 Version 001
Chandra X-Ray Center

L2 Processing Date : Aug 10 2006

See [axaff04440N001_VV001_vvref2.pdf](#) for the full report

V&V Scientist	Beth Sundheim
V&V Date (YYYY-MM-DD)	2006.08.10
V&V Edition	1
V&V Disposition and Status	OK
V&V Charge Time	54.966

Comments

Focal plane temperature is warmer than -118 degrees during initial ~4 ksec of observation. The ACIS calibrations are not verified or necessarily applicable for focal plane temperatures warmer than -118 degrees.

seq_num	500355
obs_id	4440
title	DEM L71: SHOCK PHYSICS AT HIGH RESOLUTION
observer	Dr. Cara Rakowski
object	DEM L71
dtcycle	0
cycle	P
ra_targ	76.42375
dec_targ	-67.877222
ra_nom	76.387625403495
dec_nom	-67.869289634023
roll_nom	155.95316102685
revision	2
ontime	54963.199795246
livetime	54267.222664573
ontime2	54946.994943976
ontime3	54943.753983706
ontime5	54963.199795246
ontime6	54940.51298359
ontime7	54963.199795246
ontime8	54953.476904452
l2events	635492

