

V&V Summary Report

L2 ASCDS Version : 7.6.8.1

Observation 4431 - L2 Version 3
Chandra X-Ray Center

L2 Processing Date : Aug 10 2006

See [axaff04431N001_VV002_vvref2.pdf](#) for the full report

| | |
|----------------------------|---------------|
| V&V Scientist | Beth Sundheim |
| V&V Date (YYYY-MM-DD) | 2010.10.04 |
| V&V Edition | 2 |
| V&V Disposition and Status | OK |
| V&V Charge Time | 27.971 |

Comments

Window constraint satisfied.

The guide star in slot 6 was manually excluded from the processing due to poor data quality.

| | |
|----------|---------------------------------------|
| seq_num | 790088 |
| obs_id | 4431 |
| title | AO4 CALIBRATION OBSERVATIONS OF 3C273 |
| observer | Dr. CXC Calibration |
| object | 3C273 |
| dtcycle | 0 |
| cycle | P |
| ra_targ | 187.277917 |
| dec_targ | 2.052389 |
| ra_nom | 187.28441210808 |
| dec_nom | 2.0724086355504 |
| roll_nom | 247.66889086897 |
| revision | 3 |
| ontime | 27971.299523652 |
| livetime | 26422.203479645 |
| ontime4 | 27971.299523652 |
| ontime5 | 27971.299523652 |
| ontime6 | 27971.299523652 |
| ontime7 | 27971.299523652 |
| ontime8 | 27971.299523652 |
| ontime9 | 27971.299523652 |
| l2events | 199674 |

