

V&V Summary Report

L2 ASCDS Version : 7.6.11

Observation 1312 - L2 Version 3
Chandra X-Ray Center

L2 Processing Date : Jul 13 2007

See axaff01312N001_VV003_vvref2.pdf for the full report

V&V Scientist	Joy Nichols
V&V Date (YYYY-MM-DD)	2010.10.01
V&V Edition	3
V&V Disposition and Status	OK
V&V Charge Time	6.6

Comments

Charge time for this ObsId remains at the original value 6.6 ks, but with the current processing the charge time would have been 7.75 ksec.

===

There are 2 observations with the obsid number 1312. They appear in separate spacecraft loads with these duplicate numbers. Because the 2 obsids used different instrument configurations, the telemetry file of the other obsid 1312 was edited to create a new obsid number, obsid 62865. This obsid retains the 1312 designation.

seq_num	590126
obs_id	1312
title	ACIS CALIBRATION OBSERVATION OF THE SUPERNOVA REMNANT E0102-72 (DEC 2000)
observer	Dr. CXC Calibration
object	E0102-72.3 [Chip S1, T=120, Offsets=-13,0,0]
dtcycle	0
cycle	P
ra_targ	16.01
dec_targ	-72.032028
ra_nom	15.620068551368
dec_nom	-71.851463301954
roll_nom	303.29670594132
revision	3
ontime	7756.8000072241
livetime	7658.5787349484
ontime2	7756.8000072241
ontime3	7756.8000072241
ontime5	7756.8000072241
ontime6	7756.8000072241
ontime7	7756.8000072241
ontime8	7753.5590668917
l2events	134193

