

# V&V Summary Report

## L2 ASCDS Version : 10.9.1

Observation 5122 - L2 Version 4  
Chandra X-Ray Center

L2 Processing Date : Oct 5 2020

See axaff05122N004\_VV001\_vvref2.pdf for the full report

V&V Scientist	Beth Sundheim
V&V Date (YYYY-MM-DD)	2020.10.05
V&V Edition	1
V&V Disposition and Status	OK
V&V Charge Time	1.059081

## Comments

Due to corruption of the secondary science data during this observation, some instrument parameters have bogus values. The data in this observation have been inspected by the HRC team. PLEASE NOTE: All the event data in this observation are good. The short gaps in the GTI intervals can be eliminated (i.e., use the first START and last STOP). THE DTF values during this observation can be estimated by dropping all the low values and averaging the remaining values near 1.0.

seq_num	290395	Sequence number
obs_id	5122	Observation id
title	AO5B Calibration Observations to Monitor the Spatial Variations in the HRC-S Gain	Proposal title
observer	CXC Calibration	Principal investigator
object	ArLac	Source name
ra_targ	332.17	Observer's specified target RA [deg]
dec_targ	45.742306	Observer's specified target Dec [deg]
ra_nom	332.19110467616	Nominal RA [deg]
dec_nom	45.569961399813	Nominal Dec [deg]
roll_nom	287.15239118742	Nominal Roll [deg]
revision	4	Processing version of data
ontime	1059.081297636	[s]
livetime	1050.3071700804	Ontime multiplied by DTCOR
l2events	61263	Number of level 2 events

