

V&V Summary Report

L2 ASCDS Version : 8.4.5

Observation 1514 - L2 Version 6
Chandra X-Ray Center

L2 Processing Date : Aug 21 2012

See axaff01514N003_VV001_vvref2.pdf for the full report

V&V Scientist	Joy Nichols
V&V Date (YYYY-MM-DD)	2012.08.23
V&V Edition	1
V&V Disposition and Status	OK
V&V Charge Time	2.16

Comments

First ~300 s not included in GTI because instrument configuration was not settled.

seq_num	280464	Sequence number
obs_id	1514	Observation id
title	GRATINGS CALIBRATION OBSERVATIONS OF A SOFT CONTINUUM: HZ43	Propos
observer	Dr. CXC Calibration	Principal investigator
object	HZ43	Source name
ra_targ	199.092083	Observer's specified target RA [deg]
dec_targ	29.099	Observer's specified target Dec [deg]
ra_nom	199.09433128686	Nominal RA [deg]
dec_nom	29.103028232785	Nominal Dec [deg]
roll_nom	87.345025137245	Nominal Roll [deg]
revision	6	Processing version of data
ontime	2160.7000786588	[s]
livetime	2147.2767071282	Ontime multiplied by DTCOR
l2events	69643	Number of level 2 events

