

# V&V Summary Report

## L2 ASCDS Version : 8.5.1

Observation 6154 - L2 Version 3  
Chandra X-Ray Center

L2 Processing Date : Dec 18 2012

See axaff06154N003\_VV001\_vvref2.pdf for the full report

V&V Scientist	Jen Lauer
V&V Date (YYYY-MM-DD)	2013.01.30
V&V Edition	1
V&V Disposition and Status	OK
V&V Charge Time	25.1876

## Comments

Window constraint satisfied.

seq_num	590415	Sequence number
obs_id	6154	Observation id
title	Calibrating Pile-up in ACIS Imaging Data with PSRJ0437-4715	Propos
observer	Dr. CXC Calibration	Principal investigator
object	PSR J0437-4715	Source name
dtcycle	0	&#160
cycle	P	events from which exps? Prim/Second/Both
ra_targ	69.315833	Observer's specified target RA [deg]
dec_targ	-47.252333	Observer's specified target Dec [deg]
ra_nom	69.31295858527	Nominal RA [deg]
dec_nom	-47.251298801059	Nominal Dec [deg]
roll_nom	283.41203723242	Nominal Roll [deg]
revision	3	Processing version of data
ontime	25187.600375295	Sum of GTIs [s]
livetime	22843.824029834	Livetime [s]
ontime7	25187.600375295	Sum of GTIs [s]
l2events	17689	Number of level 2 events

