

V&V Summary Report

L2 ASCDS Version : 8.4.5

Observation 2665 - L2 Version 3
Chandra X-Ray Center

L2 Processing Date : Oct 13 2012

See axaff02665N002_VV001_vvref2.pdf for the full report

V&V Scientist	Jen Lauer
V&V Date (YYYY-MM-DD)	2012.10.23
V&V Edition	1
V&V Disposition and Status	OK
V&V Charge Time	1.19

Comments

Charge time for this ObsId remains at previous value of 1.19 ks although with the current processing the charge time would have been 1.14 ksec. Monitor constraint met.

seq_num	290221	Sequence number
obs_id	2665	Observation id
title	AO3B HRC-S CALIBRATION OBSERVATION: MINI-SCAN OF ARLAC	Proposal ti
observer	Dr. CXC Calibration	Principal investigator
object	ARLAC	Source name
ra_targ	332.17	Observer's specified target RA [deg]
dec_targ	45.742306	Observer's specified target Dec [deg]
ra_nom	331.91987886565	Nominal RA [deg]
dec_nom	45.747670544071	Nominal Dec [deg]
roll_nom	167.37268839429	Nominal Roll [deg]
revision	3	Processing version of data
ontime	1143.1312971115	[s]
livetime	1135.042763865	Ontime multiplied by DTCOR
l2events	59276	Number of level 2 events

