

V&V Summary Report

L2 ASCDS Version : 7.6.8

Observation 3705 - L2 Version 3
Chandra X-Ray Center

L2 Processing Date : Nov 23 2007

See [axaff03705N002_VV001_vvref2.pdf](#) for the full report

V&V Scientist	Jen Lauer
V&V Date (YYYY-MM-DD)	2007.12.05
V&V Edition	1
V&V Disposition and Status	OK
V&V Charge Time	5.134

Comments

Window constraint satisfied. Count rate increases in latter half of observation.

The current observation has been reprocessed as part of Repro III ('C' supplement) the purpose of which is to update all HRC-I ObsIDs since Jan 2000 to the latest calibrations available for that configuration. Specifically, we are updating the DEGAP solution and the Gain Maps applied. For more information see the Repro IIIC web page at

<http://asc.harvard.edu/cda/repro3.html#IIIC>

and the associated links.

seq_num	590317
obs_id	3705
title	AO4B OBSERVATIONS OF THE STANDARD CANDLES CAS A AND G21.5-09
observer	Dr. CXC Calibration
object	CAS A
ra_targ	350.8575
dec_targ	58.814833
ra_nom	350.84983388727
dec_nom	58.813560807856
roll_nom	220.67035200264
revision	3
ontime	5134.4814708233
livetime	5028.126771105
l2events	668286

