

V&V Summary Report

L2 ASCDS Version : 7.6.11

Observation 1316 - L2 Version 2
Chandra X-Ray Center

L2 Processing Date : Jul 13 2007

See [axaff01316N001_VV002_vvref2.pdf](#) for the full report

V&V Scientist	Joy Nichols
V&V Date (YYYY-MM-DD)	2010.10.01
V&V Edition	2
V&V Disposition and Status	OK
V&V Charge Time	6.96

Comments

There are 2 observations with the obsid number 1316. They appear in separate spacecraft loads with these duplicate numbers. Because the 2 obsids used different instrument configurations, the telemetry file of the other obsid 1316 was edited to create a new obsid number, obsid 62869. This obsid retains the 1316 designation.

seq_num	590130
obs_id	1316
title	ACIS CALIBRATION OBSERVATION OF THE SUPERNOVA REMNANT E0102-72 (DEC 2000)
observer	Dr. CXC Calibration
object	E0102-72.3 [Chip I3, T=120, Offsets=-4,4,0]
dtcycle	0
cycle	P
ra_targ	16.01
dec_targ	-72.032028
ra_nom	15.898620169121
dec_nom	-72.130969446056
roll_nom	298.32940456096
revision	2
ontime	6956.800006479
livetime	6868.7088159149
ontime0	6956.800006479
ontime1	6956.800006479
ontime2	6956.800006479
ontime3	6956.800006479
ontime6	6956.800006479
ontime7	6953.5590661466
l2events	67808

