

V&V Summary Report

L2 ASCDS Version : 7.6.8

Observation 60506 - L2 Version 001
Chandra X-Ray Center

L2 Processing Date : Jun 29 2006

See [axaff60506N001_VV001_vvref2.pdf](#) for the full report

| | |
|----------------------------|---------------|
| V&V Scientist | Beth Sundheim |
| V&V Date (YYYY-MM-DD) | 2006.06.29 |
| V&V Edition | 1 |
| V&V Disposition and Status | OK |
| V&V Charge Time | 8.34559996 |

Comments

| | |
|----------|---|
| seq_num | |
| obs_id | 60506 |
| title | ACIS-456789 diagnostics |
| observer | CHANDRA engineering request/realtime commanding |
| object | |
| dtcycle | 0 |
| cycle | P |
| ra_targ | 0.0 |
| dec_targ | 0.0 |
| ra_nom | 4.3283636936029 |
| dec_nom | -9.1057342655544 |
| roll_nom | 315.55963359733 |
| revision | 2 |
| ontime | 8345.5999689102 |
| livetime | 8239.9229569869 |
| ontime4 | 3863.3213898242 |
| ontime5 | 8345.5999689102 |
| ontime6 | 4189.2902196348 |
| ontime7 | 8345.5999689102 |
| ontime8 | 4365.6764753163 |
| ontime9 | 4143.7930476964 |
| l2events | 1199637 |