

V&V Summary Report

L2 ASCDS Version : 8.5.1.1

Observation 6156 - L2 Version 3
Chandra X-Ray Center

L2 Processing Date : Dec 22 2012

See axaff06156N003_VV001_vvref2.pdf for the full report

V&V Scientist	Jen Lauer
V&V Date (YYYY-MM-DD)	2013.01.15
V&V Edition	1
V&V Disposition and Status	OK
V&V Charge Time	25.1835

Comments

Window constraint satisfied.

seq_num	590417	Sequence number
obs_id	6156	Observation id
title	Calibrating Pile-up in ACIS Imaging Data with PSRJ0437-4715	Propos
observer	Dr. CXC Calibration	Principal investigator
object	PSR J0437-4715	Source name
dtcycle	0	
cycle	P	events from which exps? Prim/Second/Both
ra_targ	69.315833	Observer's specified target RA [deg]
dec_targ	-47.252333	Observer's specified target Dec [deg]
ra_nom	69.316185514364	Nominal RA [deg]
dec_nom	-47.250118093124	Nominal Dec [deg]
roll_nom	215.54113472595	Nominal Roll [deg]
revision	3	Processing version of data
ontime	25183.5	Sum of GTIs [s]
livetime	24512.828998598	Livetime [s]
ontime7	25183.5	Sum of GTIs [s]
l2events	85906	Number of level 2 events

