

V&V Summary Report

L2 ASCDS Version : 8.4.5

Observation 62876 - L2 Version 5
Chandra X-Ray Center

L2 Processing Date : Aug 30 2012

See axaff62876N002_VV001_vvref2.pdf for the full report

V&V Scientist	Jen Lauer
V&V Date (YYYY-MM-DD)	2012.09.04
V&V Edition	1
V&V Disposition and Status	OK
V&V Charge Time	30.768782255217

Comments

Squeegy mode diagnostic observation; bias map is non-standard.

seq_num	 	Sequence number
obs_id	62876	Observation id
title	ACIS-4 diagnostics; squeegee VII; CAP 625B	Proposal title
observer	CHANDRA engineering request/realtime commanding	Principal investig
object	 	Source name
dtcycle	0	
cycle	P	events from which exps? Prim/Second/Both
ra_targ	0.0	Observer's specified target RA [deg]
dec_targ	0.0	Observer's specified target Dec [deg]
ra_nom	52.273058845528	Nominal RA [deg]
dec_nom	31.326869899566	Nominal Dec [deg]
roll_nom	95.576528160095	Nominal Roll [deg]
revision	5	Processing version of data
ontime	30768.782255217	Sum of GTIs [s]
livetime	30082.892310537	Livetime [s]
ontime4	30768.782255217	Sum of GTIs [s]
l2events	1976727	Number of level 2 events