

V&V Summary Report

L2 ASCDS Version : 7.6.8

Observation 3698 - L2 Version 3
Chandra X-Ray Center

L2 Processing Date : Nov 23 2007

See axaff03698N002_VV001_vvref2.pdf for the full report

V&V Scientist	Jen Lauer
V&V Date (YYYY-MM-DD)	2007.12.05
V&V Edition	1
V&V Disposition and Status	OK
V&V Charge Time	5.171

Comments

Window constraint satisfied.

The current observation has been reprocessed as part of Repro III ('C' supplement) the purpose of which is to update all HRC-I ObsIDs since Jan 2000 to the latest calibrations available for that configuration. Specifically, we are updating the DEGAP solution and the Gain Maps applied. For more information see the Repro IIIC web page at

<http://asc.harvard.edu/cda/repro3.html#IIIC>

and the associated links.

seq_num	590310
obs_id	3698
title	AO4A OBSERVATIONS OF THE STANDARD CANDLES CAS A AND G21.5-09
observer	Dr. CXC Calibration
object	CAS A
ra_targ	350.8575
dec_targ	58.814833
ra_nom	350.86516951763
dec_nom	58.813611719592
roll_nom	6.2944119335739
revision	3
ontime	5171.3814679384
livetime	5026.2062524027
l2events	710244

