

V&V Summary Report

L2 ASCDS Version : 10.9.1

Observation 6158 - L2 Version 3
Chandra X-Ray Center

L2 Processing Date : Oct 11 2020

See axaff06158N003_VV001_vvref2.pdf for the full report

V&V Scientist	Beth Sundheim
V&V Date (YYYY-MM-DD)	2020.10.15
V&V Edition	1
V&V Disposition and Status	OK
V&V Charge Time	20.85

Comments

Window constraint was met.

seq_num	590419	Sequence number
obs_id	6158	Observation id
title	Calibrating Pile-up in ACIS Imaging Data with PSRJ0437-4715	Propos
observer	CXC Calibration	Principal investigator
object	PSR J0437-4715	Source name
dtcycle	0	
cycle	P	events from which exps? Prim/Second/Both
ra_targ	69.315833	Observer's specified target RA [deg]
dec_targ	-47.252333	Observer's specified target Dec [deg]
ra_nom	69.311202950667	Nominal RA [deg]
dec_nom	-47.257370927776	Nominal Dec [deg]
roll_nom	5.402593928069	Nominal Roll [deg]
revision	3	Processing version of data
ontime	20850.0	Sum of GTIs [s]
livetime	20764.781337391	Livetime [s]
ontime7	20850.0	Sum of GTIs [s]
l2events	88010	Number of level 2 events

