

V&V Reference Report

L2 ASCDS Version : 10.9.1

Observation 5119 - L2 Version 4
Chandra X-Ray Center


L2 Processing Date : Oct 5 2020

Contents

1	Front	2
2	OBI	3
2.1	OBI	3
2.1.1	Images	3
2.1.2	Parameters	4
2.1.3	Events	4
2.2	Compared Parameters	5
2.3	Aspect	6
2.4	Star Slots	9
2.4.1	Slot 3	9
2.4.2	Slot 4	10
2.4.3	Slot 5	11
2.4.4	Slot 6	12
2.4.5	Slot 7	13
2.5	FID Slots	14
2.5.1	Slot 0	14
2.5.2	Slot 1	15
2.5.3	Slot 2	16
A	Summary	17
A.1	Status	17
A.2	Comments	17

1 Front


seq_num	290392	Sequence number
obs_id	5119	Observation id
title	AO5B Calibration Observations to Monitor the Spatial Variations in the HRC-S Gain	Proposal title
observer	CXC Calibration	Principal investigator
object	ArLac	Source name
ra_targ	332.17	Observer's specified target RA [deg]
dec_targ	45.742306	Observer's specified target Dec [deg]
ra_nom	332.28363086821	Nominal RA [deg]
dec_nom	45.589730980634	Nominal Dec [deg]
roll_nom	287.04257507307	Nominal Roll [deg]
revision	4	Processing version of data
ontime	1052.675047338	[s]
livetime	1045.9772774126	Ontime multiplied by DTCOR
l2events	44426	Number of level 2 events



2 OBI

2.1 OBI

2.1.1 Images



2.1.2 Parameters

obi_num	1	Obi number	sched_exp_time	900.000000	[s] Scheduled observation exposure time
ascdsver	10.9.1	Processing system revision	ontime	1052.675047338	[s]
caldsver	4.9.2	 	l1events	76698	Number of level 1 events
date	2020-10-05T08:27:27	Date and time of file creation			
revision	4	Processing version of data			

2.1.3 Events



Level 1 Events



	segment 1	segment 2	segment 3
level 1 events	753	75262	683
rejected events	753	19053	662
rejected %	100%	25%	96%

2.2 Compared Parameters

Parameter	Planned	Actual	Parameter	Planned	Actual
Instrument	HRC	HRC	Obspar version number	8	8
Detector	HRC-S	HRC-S	Obspar file type	PREDICTED	ACTUAL
Grating	NONE	NONE	Obspar update status	NONE	UPDATED
Data mode	OBSERVING	OBSERVING			
Observation mode	POINTING	POINTING			
[deg] Pointing RA	332.255930	332.28363086821			
[deg] Pointing Dec	45.606609	45.589730980634			
[deg] Pointing Roll	287.001990	287.04257507307			
[mm] SIM focus pos	-1.429586	-1.428180813131781			
[mm] SIM defocus	0.1037507710433287	0.1051558262725154			
[mm] SIM translation stage pos	250.455976	250.466033080201			
[mm] SIM translation stage offset	0	-0.01005468664627074			
[s] Observation start time (MET)	218032653.184000	218032276.61931			
Observation start date	2004-11-28T12:36:29	2004-11-28T12:31:16			
[s] Observation end time (MET)	218033553.184000	218033687.01937			
Observation end date	2004-11-28T12:51:29	2004-11-28T12:54:47			

2.3 Aspect








Slot Statistics




pt	status	used	id	mag	n_pts	frac_pts	med_dy	med_dz	dr1	dr2	ra	dec	mean_y	mea
0	FID		HRC-S-2	7.03	264	1.000	0.148	-0.132	0.009	0.014	0.000000	0.000000	1237.84	-450
1	FID		HRC-S-3	7.04	264	1.000	0.015	-0.093	0.005	0.010	0.000000	0.000000	-1159.99	570
2	FID		HRC-S-4	7.01	264	1.000	0.241	-0.072	0.009	0.015	0.000000	0.000000	1232.14	576
3	GUIDE	used	420754040	9.09	529	1.000	0.116	-0.036	0.112	0.165	331.917939	44.882543	2239.56	-1587
4	GUIDE	used	472523760	8.23	529	1.000	-0.070	-0.215	0.082	0.136	331.645363	45.403260	247.92	-1693
5	GUIDE	used	472654568	9.44	529	1.000	0.037	0.056	0.118	0.184	332.194449	45.063576	1824.75	-726
6	GUIDE	used	472655152	9.43	529	1.000	0.022	0.101	0.109	0.177	332.504239	45.862991	-697.75	862
7	GUIDE	used	472659832	9.45	524	1.000	-0.101	0.090	0.111	0.179	332.780399	46.098139	-1314.65	1770

2.4 Star Slots




2.4.1 Slot 3






2.4.2 Slot 4






2.4.3 Slot 5



2.4.4 Slot 6






2.4.5 Slot 7






2.5 FID Slots




2.5.1 Slot 0



2.5.2 Slot 1



2.5.3 Slot 2



A Summary

A.1 Status

V&V Scientist	Beth Sundheim
V&V Date (YYYY-MM-DD)	2020.10.05
V&V Edition	1
V&V Disposition and Status	OK
V&V Charge Time	1.052675

A.2 Comments

Due to corruption of the secondary science data during this observation, some instrument parameters have bogus values. The data in this observation have been inspected by the HRC team. PLEASE NOTE: All the event data in this observation are good. The short gaps in the GTI intervals can be eliminated (i.e., use the first START and last STOP). THE DTF values during this observation can be estimated by dropping all the low values and averaging the remaining values near 1.0.