

V&V Summary Report

L2 ASCDS Version : 7.6.7.1

Observation 5115 - L2 Version 002
Chandra X-Ray Center

L2 Processing Date : Apr 10 2006

See [axaff05115N002_VV002_vvref2.pdf](#) for the full report

V&V Scientist	Beth Sundheim
V&V Date (YYYY-MM-DD)	2006.04.11
V&V Edition	2
V&V Disposition and Status	OK
V&V Charge Time	1.050881

Comments

The keywords DTCOR, EXPOSURE, and LIVETIME in the Level 2 event file and the keyword DTCOR in the Level 1 event file have been incorrectly determined due to a software bug. The correct value of DTCOR can be found in the file DTFSTATS file that can be obtained by downloading the secondary data products. In most cases, the difference between the correct DTCOR value and the incorrect DTCOR value in the Level 2 event file is very small and does not affect the data analysis. However, there are cases of significant differences and the user is advised to use the DTCOR in the DTFSTATS file for analysis. Corrected data products will be made available in the archive as soon as feasible.

seq_num	290388
obs_id	5115
title	AO5B Calibration Observations to Monitor the Spatial Variations in the HRC-S Gain
observer	Dr. CXC Calibration
object	ArLac
ra_targ	332.17
dec_targ	45.742306
ra_nom	332.15245031315
dec_nom	45.663996026958
roll_nom	287.0629348631
revision	2
ontime	1050.8812972009
livetime	1024.0011059738
l2events	134010

