

V&V Summary Report

L2 ASCDS Version : 7.6.7.1

Observation 6134 - L2 Version 3
Chandra X-Ray Center

L2 Processing Date : Nov 23 2007

See [axaff06134N003_VV001_vvref2.pdf](#) for the full report

V&V Scientist	Beth Sundheim
V&V Date (YYYY-MM-DD)	2007.12.06
V&V Edition	1
V&V Disposition and Status	OK
V&V Charge Time	1.07958129

Comments

Slot 6, while not pretty, does fall within current spec.

The current observation has been reprocessed as part of Repro III ('C' supplement) the purpose of which is to update all HRC-I ObsIDs since Jan 2000 to the latest calibrations available for that configuration. Specifically, we are updating the DEGAP solution and the Gain Maps applied. For more information see the Repro IIIC web page at:

<http://asc.harvard.edu/cda/repro3.html#IIIC>

and the associated links.

seq_num	290535
obs_id	6134
title	AO5 Calibration Observations to Monitor the Spatial Variations in the HRC-I Gain
observer	Dr. CXC Calibration
object	ArLac
ra_targ	332.17
dec_targ	45.742306
ra_nom	332.15776745371
dec_nom	45.770546506171
roll_nom	284.70168571549
revision	3
ontime	1079.3250485361
livetime	1071.5434963081
l2events	44108

