

V&V Summary Report

L2 ASCDS Version : 7.6.7.2

Observation 5165 - L2 Version 001
Chandra X-Ray Center

L2 Processing Date : May 27 2006

See axaff05165N001_VV001_vvref2.pdf for the full report

V&V Scientist	Beth Sundheim
V&V Date (YYYY-MM-DD)	2006.05.30
V&V Edition	1
V&V Disposition and Status	ReprNoDD
V&V Charge Time	

Comments

Comments for Obs 1

Star in slot 6 has an RMS deviation > 0.200000 arcsec

Please reprocess without slot 6.

seq_num	590363
obs_id	5165
title	AO5A Observations of the Standard Candles Cas A and G21.5-09
observer	Dr. CXC Calibration
object	G21.5-09[I3,-120,-2.5,2.5,0]
dtcycle	0
cycle	P
ra_targ	278.389583
dec_targ	-10.568528
ra_nom	278.43137307289
dec_nom	-10.52046728073
roll_nom	93.094416551286
revision	3
ontime	9676.7999639511
livetime	9554.2664961382
ontime0	9676.7999639511
ontime1	9676.7999639511
ontime2	9676.7999639511
ontime3	9676.7999639511
ontime6	9676.7999639511
ontime7	9676.7999639511
l2events	73197

