

# V&V Summary Report

## L2 ASCDS Version : 7.6.7.1

Observation 6079 - L2 Version 002  
Chandra X-Ray Center

L2 Processing Date : Apr 7 2006

See axaff06079N002\_VV001\_vvref2.pdf for the full report

|                            |               |
|----------------------------|---------------|
| V&V Scientist              | Beth Sundheim |
| V&V Date (YYYY-MM-DD)      | 2006.04.07    |
| V&V Edition                | 1             |
| V&V Disposition and Status | OK            |
| V&V Charge Time            | 7.955199      |

## Comments

Window constraint satisfied.

|          |  |
|----------|--|
| seq_num  | 590406   |
| obs_id   | 6079   |
| title    | AO6A ACIS-S Calibration Observations of E0102-72 |
| observer | Dr. CXC Calibration                              |
| object   | E0102-72[S4,-120,-9.15,0,0]                      |
| dtcycle  | 0  |
| cycle    | P  |
| ra_targ  | 16.01  |
| dec_targ | -72.032028                                       |
| ra_nom   | 16.21010188802                                   |
| dec_nom  | -72.175968091895                                 |
| roll_nom | 293.97522685453                                  |
| revision | 2  |
| ontime   | 7955.1999703646                                  |
| livetime | 7854.4664382935                                  |
| ontime4  | 7951.9590000808                                  |
| ontime5  | 7955.1999703646                                  |
| ontime6  | 7955.1999703646                                  |
| ontime7  | 7955.1999703646                                  |
| ontime8  | 7955.1999703646                                  |
| ontime9  | 7955.1999703646                                  |
| l2events | 94838  |

