

V&V Reference Report

L2 ASCDS Version : 8.4.5

Observation 14294 - L2 Version 2
Chandra X-Ray Center


L2 Processing Date : Nov 26 2014

Contents

1	Front	2
2	OBI	3
2.1	OBI	3
2.1.1	Images	3
2.1.2	Parameters	4
2.1.3	Events	4
2.2	Compared Parameters	5
2.3	Aspect	6
2.4	Star Slots	9
2.4.1	Slot 3	9
2.4.2	Slot 4	10
2.4.3	Slot 5	11
2.4.4	Slot 6	12
2.4.5	Slot 7	13
2.5	FID Slots	14
2.5.1	Slot 0	14
2.5.2	Slot 1	15
2.5.3	Slot 2	16
A	Summary	17
A.1	Status	17
A.2	Comments	17

1 Front


seq_num	291045	Sequence number
obs_id	14294	Observation id
title	AO-13 Calibration Observations to Monitor the Spatial Variations in the HRC-S Gain	Proposal title
observer	Dr. CXC Calibration	Principal investigator
object	ArLac	Source name
ra_targ	332.17	Observer's specified target RA [deg]
dec_targ	45.742306	Observer's specified target Dec [deg]
ra_nom	332.12076435134	Nominal RA [deg]
dec_nom	45.671727281298	Nominal Dec [deg]
roll_nom	218.95539565769	Nominal Roll [deg]
revision	2	Processing version of data
ontime	1149.0250617862	[s]
livetime	1141.4522742507	Ontime multiplied by DTCOR
l2events	52447	Number of level 2 events



2 OBI

2.1 OBI

2.1.1 Images



2.1.2 Parameters

obi_num	0	Obi number	sched_exp_time	1000.000000	[s] Scheduled observation exposure time
ascdsver	10.3	Processing system revision	ontime	1149.0250617862	[s]
caldbver	4.6.4	 	l1events	85754	Number of level 1 events
date	2014-11-27T02:31:15	Date and time of file creation			
revision	2	Processing version of data			

2.1.3 Events

Level 1 Events



	segment 1	segment 2	segment 3
level 1 events	760	84282	712
rejected events	760	19584	712
rejected %	100%	23%	100%



2.2 Compared Parameters

Parameter	Planned	Actual
Instrument	HRC	HRC
Detector	HRC-S	HRC-S
Grating	NONE	NONE
Data mode	OBSERVING	OBSERVING
Observation mode	POINTING	POINTING
[deg] Pointing RA	332.133088	332.120764351335
[deg] Pointing Dec	45.698849	45.67172728129805
[deg] Pointing Roll	218.879259	218.9553956576885
[mm] SIM focus pos	-1.533336	-1.526339935833849
[mm] SIM defocus	7.710433287538843e-07	0.006996703570447904
[mm] SIM translation stage pos	250.455976	250.466033080201
[mm] SIM translation stage offset	0	-0.01005468664627074
[s] Observation start time (MET)	464894121.184000	464893744.60983
Observation start date	2012-09-24T17:14:14	2012-09-24T17:09:04
[s] Observation end time (MET)	464895121.184000	464895254.94741
Observation end date	2012-09-24T17:30:54	2012-09-24T17:34:14

Parameter	Planned	Actual
Obspar format version number	7	7
Obspar file type	PREDICTED	ACTUAL
Obspar update status	NONE	UPDATED

2.3 Aspect








Slot Statistics




slot	status	used	id	mag	n_pts	med_dy	med_dz	dr1	dr2	ra	dec	mean_y	mean_z
0	FID		HRC-S-2	7.04	288	0.197	-0.239	0.008	0.014	0.000000	0.000000	1224.94	-457.25
1	FID		HRC-S-3	7.07	288	0.019	-0.072	0.006	0.012	0.000000	0.000000	-1173.36	563.51
2	FID		HRC-S-4	7.00	288	0.190	0.015	0.008	0.014	0.000000	0.000000	1219.44	569.68
3	GUIDE	used	420754040	9.06	576	-0.247	-0.081	0.106	0.164	331.917939	44.882543	2271.64	1942.95
4	GUIDE	used	472523760	8.24	576	-0.007	-0.197	0.082	0.134	331.645363	45.403260	1631.20	54.63
5	GUIDE	used	472655152	9.42	572	0.032	-0.233	0.157	0.267	332.504239	45.862991	-1091.75	122.29
6	GUIDE	used	472533912	9.15	573	0.253	0.215	0.138	0.209	331.791136	46.368695	-853.31	-2411.68
7	GUIDE	used	472659832	9.46	568	-0.027	0.308	0.131	0.272	332.780399	46.098139	-2164.08	-113.98

2.4 Star Slots




2.4.1 Slot 3






2.4.2 Slot 4






2.4.3 Slot 5



2.4.4 Slot 6




2.4.5 Slot 7




2.5 FID Slots




2.5.1 Slot 0



2.5.2 Slot 1



2.5.3 Slot 2



A Summary

A.1 Status

V&V Scientist	Beth Sundheim
V&V Date (YYYY-MM-DD)	2014.12.02
V&V Edition	1
V&V Disposition and Status	OK
V&V Charge Time	1.1490250617862

A.2 Comments

These data have been reprocessed with new aspect alignment calibration files that correct small mean offsets (up to 0.4 arcsecs) and improve overall astrometric accuracy. The new calibration was determined using data from the time period being reprocessed and was performed using cross-correlation of X-ray sources with radio and optical counterparts.