

V&V Reference Report

L2 ASCDS Version : 8.5.1.1

Observation 15453 - L2 Version 2
Chandra X-Ray Center


L2 Processing Date : Dec 1 2014

Contents

1	Front	2
2	OBI	3
2.1	OBI	3
2.1.1	Images	3
2.1.2	Parameters	4
2.1.3	Events	4
2.2	Compared Parameters	5
2.3	Aspect	6
2.4	Star Slots	9
2.4.1	Slot 3	9
2.4.2	Slot 4	10
2.4.3	Slot 5	11
2.4.4	Slot 6	12
2.4.5	Slot 7	13
2.5	FID Slots	14
2.5.1	Slot 0	14
2.5.2	Slot 1	15
2.5.3	Slot 2	16
A	Summary	17
A.1	Status	17
A.2	Comments	17

1 Front


seq_num	291132	Sequence number
obs_id	15453	Observation id
title	AO-14 Calibration Observations of HZ43 to measure the gain accross the HRC-S plate gaps	Proposal title
observer	Dr. CXC Calibration	Principal investigator
object	HZ43	Source name
ra_targ	199.090417	Observer's specified target RA [deg]
dec_targ	29.098306	Observer's specified target Dec [deg]
ra_nom	198.82829660208	Nominal RA [deg]
dec_nom	29.328366823948	Nominal Dec [deg]
roll_nom	134.81852862746	Nominal Roll [deg]
revision	2	Processing version of data
ontime	1284.5813194513	[s]
livetime	1272.849794821	Ontime multiplied by DTCOR
l2events	101608	Number of level 2 events



2 OBI

2.1 OBI

2.1.1 Images



2.1.2 Parameters

obi_num	0	Obi number	sched_exp_time	1100.000000	[s] Scheduled observation exposure time
ascdsver	10.3	Processing system revision	ontime	1284.5813194513	[s]
caldbver	4.6.4	 	l1events	168747	Number of level 1 events
date	2014-12-02T03:03:12	Date and time of file creation			
revision	2	Processing version of data			

2.1.3 Events

Level 1 Events



	segment 1	segment 2	segment 3
level 1 events	55736	68236	44775
rejected events	9559	15801	8934
rejected %	17%	23%	19%



2.2 Compared Parameters

Parameter	Planned	Actual
Instrument	HRC	HRC
Detector	HRC-S	HRC-S
Grating	NONE	NONE
Data mode	OBSERVING	OBSERVING
Observation mode	POINTING	POINTING
[deg] Pointing RA	198.860970	198.8282966020809
[deg] Pointing Dec	29.323117	29.32836682394849
[deg] Pointing Roll	134.735183	134.8185286274619
[mm] SIM focus pos	-1.533336	-1.526339935833849
[mm] SIM defocus	7.710433287538843e-07	0.006996703570447904
[mm] SIM translation stage pos	250.455976	250.466033080201
[mm] SIM translation stage offset	0	-0.01005468664627074
[s] Observation start time (MET)	479660289.184000	479659913.85508
Observation start date	2013-03-14T14:57:02	2013-03-14T14:51:53
[s] Observation end time (MET)	479661389.184000	479661523.61766
Observation end date	2013-03-14T15:15:22	2013-03-14T15:18:43

Parameter	Planned	Actual
Obspar format version number	7	7
Obspar file type	PREDICTED	ACTUAL
Obspar update status	NONE	UPDATED

2.3 Aspect






Slot Statistics




slot	status	used	id	mag	n_pts	med_dy	med_dz	dr1	dr2	ra	dec	mean_y	mean_z
0	FID		HRC-S-1	6.97	314	0.026	-0.210	0.007	0.010	0.000000	0.000000	-1174.39	-463.57
1	FID		HRC-S-2	6.95	314	0.257	-0.110	0.004	0.008	0.000000	0.000000	1221.76	-457.60
2	FID		HRC-S-3	6.99	314	0.107	0.018	0.007	0.010	0.000000	0.000000	-1173.13	564.72
3	GUIDE	used	261619776	8.79	628	0.042	-0.330	0.109	0.206	198.654383	29.401174	656.59	258.53
4	GUIDE	used	261621400	6.98	628	-0.050	-0.232	0.068	0.115	198.901600	28.741982	-1573.69	1378.72
5	GUIDE	used	261624080	7.12	628	-0.139	0.119	0.062	0.100	198.424651	29.817768	2224.67	-287.56
6	GUIDE	used	261626352	8.62	628	-0.067	0.072	0.075	0.130	198.417097	29.781420	2156.80	-180.89
7	GUIDE	used	261629720	8.12	627	0.204	0.377	0.082	0.118	199.236176	29.044452	-1537.42	-137.16

2.4 Star Slots




2.4.1 Slot 3






2.4.2 Slot 4






2.4.3 Slot 5



2.4.4 Slot 6




2.4.5 Slot 7






2.5 FID Slots


2.5.1 Slot 0



2.5.2 Slot 1



2.5.3 Slot 2



A Summary

A.1 Status

V&V Scientist	Beth Sundheim
V&V Date (YYYY-MM-DD)	2014.12.09
V&V Edition	1
V&V Disposition and Status	OK
V&V Charge Time	1.2845813194513

A.2 Comments

These data have been reprocessed with new aspect alignment calibration files that correct small mean offsets (up to 0.4 arcsecs) and improve overall astrometric accuracy. The new calibration was determined using data from the time period being reprocessed and was performed using cross-correlation of X-ray sources with radio and optical counterparts.