

# V&V Reference Report

## L2 ASCDS Version : 10.8

Observation 21744 - L2 Version 1  
Chandra X-Ray Center


L2 Processing Date : Sep 4 2019

## Contents

<b>1</b>	<b>Front</b>	<b>2</b>
<b>2</b>	<b>OBI</b>	<b>3</b>
2.1	OBI . . . . .	3
2.1.1	Images . . . . .	3
2.1.2	Parameters . . . . .	4
2.1.3	Events . . . . .	4
2.2	Compared Parameters . . . . .	5
2.3	Aspect . . . . .	6
2.4	Star Slots . . . . .	9
2.4.1	Slot 3 . . . . .	9
2.4.2	Slot 4 . . . . .	10
2.4.3	Slot 5 . . . . .	11
2.4.4	Slot 6 . . . . .	12
2.4.5	Slot 7 . . . . .	13
2.5	FID Slots . . . . .	14
2.5.1	Slot 0 . . . . .	14
2.5.2	Slot 1 . . . . .	15
2.5.3	Slot 2 . . . . .	16
<b>A</b>	<b>Summary</b>	<b>17</b>
A.1	Status . . . . .	17
A.2	Comments . . . . .	17

# 1 Front


seq_num	291430	Sequence number
obs_id	21744	Observation id
title	AO-20 Calibration Observations to Monitor the Spatial Variations in the HRC-I Gain	Proposal title
observer	CXC Calibration	Principal investigator
object	ArLac	Source name
ra_targ	332.169666	Observer's specified target RA [deg]
dec_targ	45.742509	Observer's specified target Dec [deg]
ra_nom	332.15118110406	Nominal RA [deg]
dec_nom	45.724953974423	Nominal Dec [deg]
roll_nom	192.59000890621	Nominal Roll [deg]
revision	1	Processing version of data
ontime	1187.9750715494	[s]
livetime	1170.1188685969	Ontime multiplied by DTCOR
l2events	156276	Number of level 2 events



## 2 OBI

### 2.1 OBI

#### 2.1.1 Images



### 2.1.2 Parameters

obi_num	0	Obi number	sched_exp_time	1000.000000	[s] Scheduled observation exposure time
ascdsver	10.8	Processing system revision	ontime	1187.9750715494	[s]
caldbver	4.8.4	&#160	l1events	256139	Number of level 1 events
date	2019-09-04T14:29:53	Date and time of file creation			
revision	1	Processing version of data			

### 2.1.3 Events

#### Level 1 Events



	<b>segment 0</b>
level 1 events	256139
rejected events	54442
rejected %	21%



## 2.2 Compared Parameters

Parameter	Planned	Actual
Instrument	HRC	HRC
Detector	HRC-I	HRC-I
Grating	NONE	NONE
Data mode	OBSERVING	OBSERVING
Observation mode	POINTING	POINTING
[deg] Pointing RA	332.179603	332.1511811040642
[deg] Pointing Dec	45.742950	45.72495397442275
[deg] Pointing Roll	192.665105	192.590008906211
[mm] SIM focus pos	-1.040293	-1.038866356238299
[mm] SIM defocus	0	0.001426264420575141
[mm] SIM translation stage pos	126.985494	126.9854943052878
[mm] SIM translation stage offset	0	-5.413686238853188e-06
[s] Observation start time (MET)	683952603.184000	683952227.3986599
Observation start date	2019-09-04T02:48:54	2019-09-04T02:43:47
[s] Observation end time (MET)	683953603.184000	683953737.22376
Observation end date	2019-09-04T03:05:34	2019-09-04T03:08:57

Parameter	Planned	Actual
Obspar format version number	7	7
Obspar file type	PREDICTED	ACTUAL
Obspar update status	NONE	UPDATED

## 2.3 Aspect






Slot Statistics

pt	status	used	id	mag	n_pts	frac_pts	med_dy	med_dz	dr1	dr2	ra	dec	mean_y	mea
0	FID		HRC-I-1	7.04	290	1.000	-0.205	-0.190	0.006	0.010	0.000000	0.000000	-767.27	-1303
1	FID		HRC-I-3	7.11	290	1.000	-0.253	-0.123	0.007	0.013	0.000000	0.000000	-1198.29	996
2	FID		HRC-I-4	7.04	290	1.000	0.573	0.223	0.005	0.009	0.000000	0.000000	1272.33	1001
3	GUIDE	used	472523760	8.22	581	1.000	-0.127	-0.254	0.087	0.151	331.645363	45.403260	1585.12	896
4	GUIDE	used	472525528	6.63	581	1.000	-0.380	-0.355	0.110	0.173	331.551102	45.248694	1945.22	1385
5	GUIDE	used	472527720	6.99	579	1.000	-0.364	-0.392	0.100	0.145	331.460205	45.112509	2282.19	1811
6	GUIDE	used	472535576	7.83	581	1.000	0.269	0.359	0.126	0.237	331.438373	46.291802	1368.82	-2333
7	GUIDE	used	472665256	8.96	580	1.000	0.616	0.619	0.156	0.297	332.808125	46.195041	-1882.75	-1250






## 2.4 Star Slots




### 2.4.1 Slot 3






## 2.4.2 Slot 4






### 2.4.3 Slot 5



## 2.4.4 Slot 6




## 2.4.5 Slot 7




## 2.5 FID Slots




### 2.5.1 Slot 0



## 2.5.2 Slot 1



### 2.5.3 Slot 2





## A Summary

### A.1 Status

V&V Scientist	Beth Sundheim
V&V Date (YYYY-MM-DD)	2019.09.04
V&V Edition	1
V&V Disposition and Status	OK
V&V Charge Time	1.1879750715494

### A.2 Comments