

V&V Summary Report

L2 ASCDS Version : 8.1.2

Observation 62198 - L2 Version 4
Chandra X-Ray Center

L2 Processing Date : Sep 23 2010

See [axaff62198N002_VV001_vvref2.pdf](#) for the full report

V&V Scientist	Joy Nichols
V&V Date (YYYY-MM-DD)	2010.10.26
V&V Edition	1
V&V Disposition and Status	OK
V&V Charge Time	2.8585892859697

Comments

During this observation, the ACIS focal plane temperature was lowered from -110 to -120 degrees, which will be the default for the ACIS FP temperature for the foreseeable future.

seq_num	 	Sequence number
obs_id	62198	Observation id
title	ACIS-456789 diagnostics	Proposal title
observer	CHANDRA engineering request/realtime commanding	Principal investig
object	 	Source name
dtycle	0	
cycle	P	events from which exps? Prim/Second/Both
ra_targ	0.0	Observer's specified target RA
dec_targ	0.0	Observer's specified target Dec
ra_nom	350.69897053038	Nominal RA
dec_nom	58.875157908257	Nominal Dec
roll_nom	322.81647790256	Nominal Roll
revision	4	Processing version of data
ontime	2858.5892859697	Sum of GTIs [s]
livetime	2822.392107195	Livetime [s]
ontime4	1066.3871731684	Sum of GTIs [s]
ontime5	3030.3610544279	Sum of GTIs [s]
ontime6	1195.9423059821	Sum of GTIs [s]
ontime7	2858.5892859697	Sum of GTIs [s]
ontime8	1244.5578562245	Sum of GTIs [s]
ontime9	1153.8087360486	Sum of GTIs [s]
l2events	925187	Number of level 2 events