

V&V Summary Report

L2 ASCDS Version : 7.6.8

Observation 3588 - L2 Version 001
Chandra X-Ray Center

L2 Processing Date : Jul 19 2006

See axaff03588N001_VV001_vvref2.pdf for the full report

V&V Scientist	Jen Lauer
V&V Date (YYYY-MM-DD)	2006.07.19
V&V Edition	1
V&V Disposition and Status	OK
V&V Charge Time	9.523

Comments

The ACIS focal plane temperature was above calibration limits for the entire observation.

The ACIS spectral response calibration is less accurate at these warmer temperatures than it is at -119.7 C. Users whose science objectives depend on the most accurate spectral response (ie: fitting line-rich spectra) may notice an effect. Users whose science objectives do not depend on the most accurate spectral response should not notice an effect.

seq_num	800309
obs_id	3588
title	X-RAY/SZ DETERMINATION OF COSMOLOGICAL PARAMETERS
observer	DR. LEON VANSPEYBROECK
object	A773
dtcycle	0
cycle	P
ra_targ	139.47125
dec_targ	51.728889
ra_nom	139.38989969151
dec_nom	51.749177437689
roll_nom	160.20960854437
revision	2
ontime	9523.1999816895
livetime	9398.7723630508
ontime0	9523.1999816895
ontime1	9520.0589815378
ontime2	9523.1999816895
ontime3	9523.1999816895
ontime6	9523.1999816895
l2events	28178

