

V&V Summary Report

L2 ASCDS Version : 8.1.1

Observation 1390 - L2 Version 4
Chandra X-Ray Center

L2 Processing Date : Nov 20 2009

See [axaff01390N001_VV001_vvref2.pdf](#) for the full report

| | |
|----------------------------|-------------|
| V&V Scientist | Joy Nichols |
| V&V Date (YYYY-MM-DD) | 2010.04.30 |
| V&V Edition | 1 |
| V&V Disposition and Status | OK |
| V&V Charge Time | 2.166 |

Comments

HRC-I PSF tests. Target is off-axis.

| | | |
|----------|---------------------|---------------------------------|
| seq_num | 280340 | Sequence number |
| obs_id | 1390 | Observation id |
| title | | Proposal title |
| observer | Dr. CXC Calibration | Principal investigator |
| object | HR1099 | Source name |
| ra_targ | 54.197083 | Observer's specified target RA |
| dec_targ | 0.589972 | Observer's specified target Dec |
| ra_nom | 54.281984238017 | Nominal RA |
| dec_nom | 0.73907955512305 | Nominal Dec |
| roll_nom | 61.051221842578 | Nominal Roll |
| revision | 4 | Processing version of data |
| ontime | 2166.0813281387 | [s] |
| livetime | 2152.1610855995 | Ontime multiplied by DTCOR |
| l2events | 67962 | Number of level 2 events |

