

V&V Summary Report

L2 ASCDS Version : 7.6.8

Observation 3700 - L2 Version 3
Chandra X-Ray Center

L2 Processing Date : Jun 30 2006

See [axaff03700N001_VV002_vvref2.pdf](#) for the full report

V&V Scientist	Beth Sundheim
V&V Date (YYYY-MM-DD)	2010.10.01
V&V Edition	2
V&V Disposition and Status	OK
V&V Charge Time	9.663

Comments

The guide star in slot 4 was manually excluded from the processing due to poor data quality.
Window constraint satisfied.

seq_num	590312
obs_id	3700
title	AO4B OBSERVATIONS OF THE STANDARD CANDLES CAS A AND G21.5-09
observer	Dr. CXC Calibration
object	G21.5-0.9[Chip S3, T=120, Offsets=-1.0,0,0]
dtcycle	0
cycle	P
ra_targ	278.389583
dec_targ	-10.568528
ra_nom	278.39272647446
dec_nom	-10.589033978438
roll_nom	283.35691355863
revision	3
ontime	9663.9999639988
livetime	9541.6285774925
ontime2	9660.7590037584
ontime3	9663.9999639988
ontime5	9663.9999639988
ontime6	9663.9999639988
ontime7	9663.9999639988
ontime8	9663.9999639988
l2events	99974

