

V&V Reference Report

L2 ASCDS Version : 8.5.1

Observation 5550 - L2 Version 3
Chandra X-Ray Center


L2 Processing Date : Dec 16 2012

Contents

1	Front	2
2	OBI	3
2.1	OBI	3
2.1.1	Images	3
2.1.2	Parameters	4
2.1.3	Events	4
2.2	Compared Parameters	5
2.3	Aspect	6
2.4	Star Slots	9
2.4.1	Slot 3	9
2.4.2	Slot 4	10
2.4.3	Slot 5	11
2.4.4	Slot 6	12
2.4.5	Slot 7	13
2.5	FID Slots	14
2.5.1	Slot 0	14
2.5.2	Slot 1	15
2.5.3	Slot 2	16
3	Gratings	17
3.1	HEG Arm	17
3.2	MEG Arm	19
A	Summary	21
A.1	Status	21
A.2	Comments	21

1 Front


seq_num	500539	Sequence number
obs_id	5550	Observation id
title	Monitoring of the Relativistic Magnetohydrodynamic Shock in the Crab Nebula	Proposal title
observer	Dr Koji Mori	Principal investigator
object	The Crab Nebula	Source name
dtcycle	0	
cycle	P	events from which exps? Prim/Second/Both
ra_targ	83.632083	Observer's specified target RA [deg]
dec_targ	22.016472	Observer's specified target Dec [deg]
ra_nom	83.631248494126	Nominal RA [deg]
dec_nom	22.004025162913	Nominal Dec [deg]
roll_nom	274.24263817269	Nominal Roll [deg]
revision	3	Processing version of data
ontime	10681.500424445	Sum of GTIs [s]
livetime	9396.112266401	Livetime [s]
ontime7	10681.500424445	Sum of GTIs [s]
l2events	2788139	Number of level 2 events



2 OBI

2.1 OBI

2.1.1 Images



2.1.2 Parameters

obi_num	1	Obi number	sched_exp_time	10500.000000	[s] Scheduled observation exposure time
ascdsver	8.5.1	Processing system revision	ontime	10681.500424445	Sum of GTIs [s]
caldsver	4.5.5	 	ontime7	10681.500424445	Sum of GTIs [s]
date	2012-12-16T13:14:01	Date and time of file creation	l1events	2933460	Number of level 1 events
revision	3	Processing version of data			

2.1.3 Events



	ccd 7
level 1 events	2933460
rejected events	113929
rejected %	3%

	ccd 7
grade 0 events	574261
	19%
grade 1 events	10987
	0%
grade 2 events	722267
	24%
grade 3 events	322697
	11%
grade 4 events	310069
	10%
grade 5 events	44942
	1%
grade 6 events	896100
	30%
grade 7 events	52137
	1%

2.2 Compared Parameters

Parameter	Planned	Actual	Parameter	Planned	Actual
Instrument	ACIS	ACIS	Obspar format version number	7	7
Detector	ACIS-7	ACIS-7	Obspar file type	PREDICTED	ACTUAL
Grating	HETG	HETG	Obspar update status	NONE	UPDATED
Data mode	GRADED	GRADED	Number of optional ACIS chips dropped	0	0
Observation mode	POINTING	POINTING	On-chip summing requested	N	N
[deg] Pointing RA	83.614382	83.63124849412566	Subarray requested	CUSTOM	CUSTOM
[deg] Pointing Dec	22.026325	22.00402516291348	Subarray start row	127	127
[deg] Pointing Roll	274.092330	274.2426381726874	Subarray row count	101	101
[s] Window start time (MET)	222307264.184000	222307264.184000	Alternating exposures requested	N	N
[s] Window stop time (MET)	222912064.184000	222912064.184000	[s] Primary exposure time	0.000000	0.3
[mm] SIM focus pos	-0.684267	-0.6828225247311905			
[mm] SIM defocus	0	0.001444936568705701			
[mm] SIM translation stage pos	-182.132523	-182.1370004450064			
[mm] SIM translation stage offset	-8	-7.995522138001405			
[s] Observation start time (MET)	222942350.184000	222941654.76543			
Observation start date	2005-01-24T08:24:46	2005-01-24T08:14:14			
[s] Observation end time (MET)	222952850.184000	222953691.85348			
Observation end date	2005-01-24T11:19:46	2005-01-24T11:34:51			
Read mode	TIMED	TIMED			

2.3 Aspect




Slot Statistics




slot	status	id	mag	n_pts	med_dy	med_dz	dr1	dr2	ra	dec	mean_y	mean_z
0	FID	ACIS-S-2	7.09	2606	-0.061	-0.088	0.006	0.011	0.000000	0.000000	-760.27	-1895.63
1	FID	ACIS-S-4	7.18	2606	0.104	0.053	0.005	0.009	0.000000	0.000000	2152.94	12.42
2	FID	ACIS-S-5	7.22	2606	-0.074	0.043	0.006	0.011	0.000000	0.000000	-1812.51	6.63
3	GUIDE	171585880	8.40	5210	-0.065	-0.008	0.058	0.093	83.676260	22.176319	-523.69	244.42
4	GUIDE	171586032	8.94	5212	0.002	0.095	0.071	0.117	83.950197	22.083225	-125.51	1132.42
5	GUIDE	171597832	9.16	5211	0.111	-0.055	0.096	0.147	83.183230	21.366702	2264.09	-1610.54
6	GUIDE	171721904	9.22	5177	0.080	-0.006	0.107	0.166	84.272676	22.116922	-172.81	2213.35
7	GUIDE	243941560	8.28	5210	-0.118	-0.017	0.082	0.122	83.733264	22.568598	-1918.96	533.83

2.4 Star Slots




2.4.1 Slot 3






2.4.2 Slot 4






2.4.3 Slot 5



2.4.4 Slot 6




2.4.5 Slot 7




2.5 FID Slots


2.5.1 Slot 0



2.5.2 Slot 1



2.5.3 Slot 2




3 Gratings

3.1 HEG Arm




HEG Order Sort 123




HEG Zero Order



HEG Order Sort ALL






Spot Image HEG




Full Detector HEG

	order -3	order -2	order -1	order 0	order 1	order 2	order 3
Events	0	0	0	338088	0	0	0







3.2 MEG Arm




MEG Order Sort 123




MEG Zero Order



MEG Order Sort ALL






Spot Image MEG



Full Detector MEG

	order -3	order -2	order -1	order 0	order 1	order 2	order 3
Events	0	0	2	338088	934	1	0





A Summary

A.1 Status

V&V Scientist	Joy Nichols
V&V Date (YYYY-MM-DD)	2013.01.15
V&V Edition	1
V&V Disposition and Status	OK
V&V Charge Time	10.6815

A.2 Comments

HETG is inserted as a filter; there is very little useful gratings information in the observation. The zeroth order position used in the grating extraction is NOT at the position of the pulsar, but is near a bright emission knot to the SE. If the dispersed grating spectrum is to be analyzed, it should be re-extracted using the exact position of the pulsar as the zeroth order position. The dispersed spectrum only contains data for the meg +1 order between 1-2 A.