

V&V Reference Report

L2 ASCDS Version : 7.6.7.1

Observation 5980 - L2 Version 3
Chandra X-Ray Center


L2 Processing Date : Nov 24 2007

Contents

1	Front	2
2	OBI	3
2.1	OBI	3
2.1.1	Images	3
2.1.2	Parameters	4
2.1.3	Events	4
2.2	Compared Parameters	5
2.3	Aspect	6
2.4	Star Slots	9
2.4.1	Slot 3	9
2.4.2	Slot 4	10
2.4.3	Slot 5	11
2.4.4	Slot 6	12
2.4.5	Slot 7	13
2.5	FID Slots	14
2.5.1	Slot 0	14
2.5.2	Slot 1	15
2.5.3	Slot 2	16
3	Point Sources	17
A	Summary	18
A.1	Status	18
A.2	Comments	18

1 Front


seq_num	290472
obs_id	5980
title	AO6 Calibration Observations to Monitor the Spatial Variations in the HRC-I Gain
observer	Dr. CXC Calibration
object	ArLac
ra_targ	332.17
dec_targ	45.742306
ra_nom	332.19926587323
dec_nom	45.763978119783
roll_nom	221.65037905231
revision	3
ontime	1182.0813043714
livetime	1045.483660962
l2events	169181



2 OBI

2.1 OBI

2.1.1 Images



2.1.2 Parameters

obi_num	0
ascdsver	7.6.11.2
caldbver	3.4.1
date	2007-11-24T16:21:28
revision	3

sched_exp_time	1000.000000
ontime	1182.0813043714
l1events	276750

2.1.3 Events



Level 1 Events



	segment 0
level 1 events	276750
rejected events	60532
rejected %	21%

2.2 Compared Parameters

Parameter	Planned	Actual	Parameter	Planned	Actual
Instrument	HRC	HRC	Obspar format version number	6	6
Detector	HRC-I	HRC-I	Obspar file type	PREDICTED	ACTUAL
Grating	NONE	NONE	Obspar update status	NONE	UPDATED
Data mode	OBSERVING	OBSERVING			
Observation mode	POINTING	POINTING			
Pointing RA	332.211374	332.1992658732315			
Pointing Dec	45.789062	45.76397811978326			
Pointing Roll	221.737200	221.6503790523116			
SIM focus pos (mm)	-1.040293	-1.038866356238299			
SIM defocus (mm)	0	0.001426264420575141			
SIM translation stage pos (mm)	126.985494	126.9829799899862			
SIM translation stage offset (mm)	0	0.002508901615314585			
Observation start time	244200732.184000	244200356.12215			
Observation start date	2005-09-27T09:31:08	2005-09-27T09:25:56			
Observation end time	244201732.184000	244201866.45972			
Observation end date	2005-09-27T09:47:48	2005-09-27T09:51:06			

2.3 Aspect






Slot Statistics


slot	status	id	mag	n_pts	med_dy	med_dz	dr1	dr2	ra	dec	mean_y	mean_z
0	FID	HRC-I-2	7.02	289	0.106	-0.083	0.006	0.010	0.000000	0.000000	848.42	-1297.78
1	FID	HRC-I-3	7.07	289	-0.085	0.042	0.006	0.010	0.000000	0.000000	-1189.94	1004.00
2	FID	HRC-I-4	7.01	289	0.098	-0.045	0.006	0.010	0.000000	0.000000	1274.46	1009.46
3	GUIDE	472523760	8.25	578	-0.023	0.087	0.058	0.090	331.645363	45.403260	1989.77	84.09
4	GUIDE	472533912	9.16	578	0.062	0.054	0.117	0.212	331.791136	46.368695	-607.51	-2250.18
5	GUIDE	472651904	6.15	578	-0.101	-0.235	0.085	0.129	332.170077	45.742257	189.39	55.84
6	GUIDE	472655152	9.42	574	0.006	-0.035	0.129	0.203	332.504239	45.862991	-724.60	292.99
7	GUIDE	472665256	9.01	577	0.055	0.120	0.076	0.119	332.808125	46.195041	-2086.60	-100.47

2.4 Star Slots


2.4.1 Slot 3




2.4.2 Slot 4




2.4.3 Slot 5



2.4.4 Slot 6




2.4.5 Slot 7




2.5 FID Slots


2.5.1 Slot 0




2.5.2 Slot 1



2.5.3 Slot 2



3 Point Sources



A Summary

A.1 Status

V&V Scientist	Beth Sundheim
V&V Date (YYYY-MM-DD)	2007.12.07
V&V Edition	1
V&V Disposition and Status	OK
V&V Charge Time	1.182081

A.2 Comments

The current observation has been reprocessed as part of Repro III ('C' supplement) the purpose of which is to update all HRC-I ObsIDs since Jan 2000 to the latest calibrations available for that configuration. Specifically, we are updating the DEGAP solution and the Gain Maps applied. For more information see the Repro IIIC web page at:

<http://asc.harvard.edu/cda/repro3.html#IIIC>

and the associated links.