

# V&V Summary Report

## L2 ASCDS Version : 7.6.10

Observation 1741 - L2 Version 5  
Chandra X-Ray Center

L2 Processing Date : Nov 20 2007

See [axaff01741N002\\_VV001\\_vvref2.pdf](#) for the full report

V&V Scientist	Beth Sundheim
V&V Date (YYYY-MM-DD)	2007.12.03
V&V Edition	1
V&V Disposition and Status	OK
V&V Charge Time	10.073

## Comments

The current observation has been reprocessed as part of Repro III ('C' supplement) the purpose of which is to update all HRC-I ObsIDs since Jan 2000 to the latest calibrations available for that configuration. Specifically, we are updating the DEGAP solution and the Gain Maps applied. For more information see the Repro IIIC web page at:

<http://asc.harvard.edu/cda/repro3.html#IIIC>

and the associated links.

seq_num	590190
obs_id	1741
title	VERIFICATION OF AXAF TIMING CAPABILITY
observer	Dr. CXC Calibration
object	PSR B0540-69
ra_targ	85.04625
dec_targ	-69.332
ra_nom	85.035295359054
dec_nom	-69.329893859089
roll_nom	174.33738655916
revision	5
ontime	10074.9816214
livetime	10024.671385245
l2events	270489

