

V&V Summary Report

L2 ASCDS Version : 8.4.5

Observation 2641 - L2 Version 3
Chandra X-Ray Center

L2 Processing Date : Oct 1 2012

See axaff02641N002_VV001_vvref2.pdf for the full report

V&V Scientist	Jen Lauer
V&V Date (YYYY-MM-DD)	2012.10.03
V&V Edition	1
V&V Disposition and Status	OK
V&V Charge Time	1.19

Comments

Charge time for this ObsId remains at previous value of 1.19 ks although with the current processing the charge time would have been 1.14 ksec. Monitor constraint met.

seq_num	290197	Sequence number
obs_id	2641	Observation id
title	AO3A HRC-S CALIBRATION OBSERVATION: MINI-SCAN OF ARLAC	Proposal ti
observer	Dr. CXC Calibration	Principal investigator
object	ARLAC	Source name
ra_targ	332.17	Observer's specified target RA [deg]
dec_targ	45.742306	Observer's specified target Dec [deg]
ra_nom	332.08960226404	Nominal RA [deg]
dec_nom	45.76783469003	Nominal Dec [deg]
roll_nom	336.52651434092	Nominal Roll [deg]
revision	3	Processing version of data
ontime	1142.1062960327	[s]
livetime	1123.9702783585	Ontime multiplied by DTCOR
l2events	133299	Number of level 2 events

