V&V Summary Report L2 ASCDS Version: 8.1.1

Observation 1352 - L2 Version 4 Chandra X-Ray Center

L2 Processing Date: Nov 19 2009

See axaff01352N001_VV001_vvref2.pdf for the full report

V&V Scientist	Beth Sundheim
V&V Date (YYYY-MM-DD)	2009.11.20
V&V Edition	1
V&V Disposition and Status	OK
V&V Charge Time	1.273

Comments

The ObsID series 1319-1382 were intended to access the HRC-I gain variation across the detector as a function of MCP HV. They were performed as triples (3 different HV settings at each Y-/Z-offset). The best HRC-I focus was not determined at the time the observations were performed (the data to determine that were being analyzed during this series).

==

Charge time for this ObsId remains at original value of 1.273 ks, although with the current processing the charge time would have been 1.275 ksec.

seq_num	280302	Sequence number
obs_id	1352	Observation id
title	& #160	Proposal title
observer	Dr. CXC Calibration	Principal investigator
object	ArLac	Source name
ra_targ	332.1701	Observer's specified target RA
dec_targ	45.7423	Observer's specified target Dec
ra_nom	332.23562744524	Nominal RA
dec_nom	45.696276140014	Nominal Dec
roll_nom	229.51345431796	Nominal Roll
revision	4	Processing version of data
ontime	1275.3562959433	[s]
livetime	1266.1012990384	Ontime multiplied by DTCOR
12events	41514	Number of level 2 events

