

V&V Summary Report

L2 ASCDS Version : 7.6.7.1

Observation 5062 - L2 Version 3
Chandra X-Ray Center

L2 Processing Date : Nov 23 2007

See axaff05062N002_VV001_vvref2.pdf for the full report

V&V Scientist	Jen Lauer
V&V Date (YYYY-MM-DD)	2007.12.05
V&V Edition	1
V&V Disposition and Status	OK
V&V Charge Time	0.609

Comments

SCS 107 ran at 21:38, interrupting the observation and causing large SIM motions as the instrument safed. These are expected consequences of the safing process.

The current observation has been reprocessed as part of Repro III ('C' supplement) the purpose of which is to update all HRC-I ObsIDs since Jan 2000 to the latest calibrations available for that configuration. Specifically, we are updating the DEGAP solution and the Gain Maps applied. For more information see the Repro IIIC web page at

<http://asc.harvard.edu/cda/repro3.html#IIIC>

and the associated links.

seq_num	290335
obs_id	5062
title	AO5 Calibration Observations to Monitor the Spatial Variations in the HRC-I Gain
observer	Dr. CXC Calibration
object	ArLac
ra_targ	332.17
dec_targ	45.742306
ra_nom	332.1468331043
dec_nom	45.773838516859
roll_nom	205.29917542693
revision	3
ontime	609.87502720952
livetime	455.86692360059
l2events	73507

