

V&V Summary Report

L2 ASCDS Version : 8.4.5

Observation 10673 - L2 Version 3
Chandra X-Ray Center

L2 Processing Date : Aug 13 2012

See axaff10673N003_VV001_vvref2.pdf for the full report

V&V Scientist	Jen Lauer
V&V Date (YYYY-MM-DD)	2012.08.20
V&V Edition	1
V&V Disposition and Status	OK
V&V Charge Time	33.8813766

Comments

This observation was performed with a large SIM offset. As a result, the fid light positions are offset beyond normally expected ranges. Slot 2 was not utilized during this observation. Window constraint met.

seq_num	990013	Sequence number
obs_id	10673	Observation id
title	AO-10 Calibration Observations of the ACIS charged particle background	Proposal title
observer	Dr. CXC Calibration	Principal investigator
object	31 Com	Source name
ra_targ	192.924583	Observer's specified target RA [deg]
dec_targ	27.540722	Observer's specified target Dec [deg]
ra_nom	192.6682000447	Nominal RA [deg]
dec_nom	27.649010192008	Nominal Dec [deg]
roll_nom	242.52329544054	Nominal Roll [deg]
revision	3	Processing version of data
ontime	33882.273553252	[s]
livetime	28886.031651781	Ontime multiplied by DTCOR
l2events	66930	Number of level 2 events

