## V&V Summary Report L2 ASCDS Version: 7.6.9

Observation 2603 - L2 Version 3 Chandra X-Ray Center

L2 Processing Date: Nov 21 2007

See axaff02603N002\_VV001\_vvref2.pdf for the full report

V&V Scientist	Joy Nichols
V&V Date (YYYY-MM-DD)	2007.12.04
V&V Edition	1
V&V Disposition and Status	OK
V&V Charge Time	10.187

## Comments

Source is quite far off-acis, and the PSF is asymmetric and contains the pattern of the struts. The zeroth order is not found at the precise center of the PSF, but is within about 1 arcsec. The off-acis position yields a minus side spectrum with energies beyond 100 A. The plus side spectrum is truncated.

current observation has been reprocessed as part of Repro III ('C' supplement) the purpose of which is to update all HRC-I ObsIDs since Jan 2000 to the latest calibrations available for that configuration. Specifically, we are updating the DEGAP solution and the Gain Maps applied. For more information see the Repro IIIC web page at http://asc.harvard.edu/cda/repro3.html#IIIc and the associated links.

seq_num	290159
obs_id	2603
title	AO3 LETG/HRC-I CALIBRATION OBSERVATIONS OF HZ43
observer	Dr. CXC Calibration
object	HZ43
ra_targ	199.092083
dec_targ	29.099
ra_nom	199.12332903069
dec_nom	29.259417511839
roll_nom	259.63511401326
revision	3
ontime	10187.73166886
livetime	10104.802209862
12events	622919

