

# V&V Reference Report

## L2 ASCDS Version : 10.9.1

Observation 5523 - L2 Version 7  
Chandra X-Ray Center


L2 Processing Date : Oct 6 2020

## Contents

<b>1</b>	<b>Front</b>	<b>2</b>
<b>2</b>	<b>OBI</b>	<b>3</b>
2.1	OBI . . . . .	3
2.1.1	Images . . . . .	3
2.1.2	Bias . . . . .	3
2.1.3	Parameters . . . . .	4
2.1.4	Events . . . . .	4
2.2	Compared Parameters . . . . .	5
2.3	Aspect . . . . .	6
2.4	Star Slots . . . . .	9
2.4.1	Slot 3 . . . . .	9
2.4.2	Slot 4 . . . . .	10
2.4.3	Slot 5 . . . . .	11
2.4.4	Slot 7 . . . . .	12
2.5	FID Slots . . . . .	13
2.5.1	Slot 0 . . . . .	13
2.5.2	Slot 1 . . . . .	14
2.5.3	Slot 2 . . . . .	15
<b>A</b>	<b>Summary</b>	<b>16</b>
A.1	Status . . . . .	16
A.2	Comments . . . . .	16

# 1 Front


seq_num	500517	Sequence number
obs_id	5523	Observation id
title	Timing the Enigmatic Nearby Neutron Star RX J1308.8+2127	Proposal
observer	Prof. David Kaplan	Principal investigator
object	RX J1308.8+2127	Source name
ra_targ	197.20125	Observer's specified target RA [deg]
dec_targ	21.451889	Observer's specified target Dec [deg]
ra_nom	197.20642338757	Nominal RA [deg]
dec_nom	21.459312180791	Nominal Dec [deg]
roll_nom	88.15390950368	Nominal Roll [deg]
revision	7	Processing version of data
ontime	5678.75	Sum of GTIs [s]
livetime	5656.5673828125	Livetime [s]
ontime7	5678.75	Sum of GTIs [s]
l2events	24587	Number of level 2 events




## 2 OBI

### 2.1 OBI

#### 2.1.1 Images



#### 2.1.2 Bias



### 2.1.3 Parameters

obi_num	0	Obi number	sched_exp_time	5500.000000	[s] Scheduled observation exposure time
ascdsver	10.9.1	Processing system revision	ontime	5678.75	Sum of GTIs [s]
caldsver	4.9.2	&#160	ontime7	5678.75	Sum of GTIs [s]
date	2020-10-06T21:18:01	Date and time of file creation	l1events	32752	Number of level 1 events
revision	7	Processing version of data			

### 2.1.4 Events

	<b>ccd 7</b>
level 1 events	32752
rejected events	7207
rejected %	22%



	<b>ccd 7</b>
grade 0 events	3770
	11%
grade 1 events	79
	0%
grade 2 events	6901
	21%
grade 3 events	1990
	6%
grade 4 events	1923
	5%
grade 5 events	5092
	15%
grade 6 events	12997
	39%
grade 7 events	0
	0%





## 2.2 Compared Parameters

Parameter	Planned	Actual	Parameter	Planned	Actual
Instrument	ACIS	ACIS	Obspar version number	8	8
Detector	ACIS-7	ACIS-7	Obspar file type	PREDICTED	ACTUAL
Grating	NONE	NONE	Obspar update status	NONE	UPDATED
Data mode	CC33_FAINT	CC33_FAINT	Number of optional ACIS chips dropped	0	0
Observation mode	POINTING	POINTING	On-chip summing requested	N	N
[deg] Pointing RA	197.217552	197.20642338757	Subarray requested	NONE	NONE
[deg] Pointing Dec	21.437519	21.459312180791	Alternating exposures requested	N	N
[deg] Pointing Roll	87.994044	88.15390950368	[s] Primary exposure time	0.000000	0
[mm] SIM focus pos	-0.684267	-0.6828225247311905			
[mm] SIM defocus	0	0.001444936568705701			
[mm] SIM translation stage pos	-190.132523	-190.1400660498719			
[mm] SIM translation stage offset	0	0.00754346686406393			
[s] Observation start time (MET)	224861381.184000	224860676.25222			
Observation start date	2005-02-15T13:28:37	2005-02-15T13:17:56			
[s] Observation end time (MET)	224866881.184000	224868369.39007			
Observation end date	2005-02-15T15:00:17	2005-02-15T15:26:09			
Read mode	CONTINUOUS	CONTINUOUS			

## 2.3 Aspect








Slot Statistics




pt	status	used	id	mag	n_pts	frac_pts	med_dy	med_dz	dr1	dr2	ra	dec	mean_y	mea
0	FID		ACIS-S-2	7.10	1387	1.000	-0.089	-0.063	0.008	0.012	0.000000	0.000000	-759.66	-1731
1	FID		ACIS-S-4	7.21	1387	1.000	0.162	0.060	0.007	0.012	0.000000	0.000000	2153.32	176
2	FID		ACIS-S-5	7.23	1386	1.000	-0.104	0.012	0.007	0.011	0.000000	0.000000	-1811.23	170
3	GUIDE	used	190972752	10.34	2771	1.000	0.149	-0.111	0.137	0.229	197.567107	21.351082	-268.32	-1181
4	GUIDE	used	190973928	9.83	2772	1.000	-0.141	0.062	0.113	0.184	197.904188	21.564389	542.14	-2281
5	GUIDE	used	190974376	6.81	2774	1.000	-0.190	0.122	0.064	0.104	197.884749	21.918670	1814.10	-2166
6	OMITTED			0.00	0	0.000	0.000	0.000	0.000	0.000	0.000000	0.000000	0.00	0
7	GUIDE	used	190971944	10.05	2767	1.000	0.182	-0.070	0.142	0.243	197.963793	22.064478	2350.11	-2409

## 2.4 Star Slots




### 2.4.1 Slot 3






## 2.4.2 Slot 4



### 2.4.3 Slot 5




## 2.4.4 Slot 7








## 2.5 FID Slots




### 2.5.1 Slot 0



## 2.5.2 Slot 1



## 2.5.3 Slot 2



## A Summary

### A.1 Status

V&V Scientist	David Huenemoerder
V&V Date (YYYY-MM-DD)	2020.10.07
V&V Edition	1
V&V Disposition and Status	OK
V&V Charge Time	5.6825

### A.2 Comments