

# V&V Summary Report

## L2 ASCDS Version : 8.1.1

Observation 62343 - L2 Version 4  
Chandra X-Ray Center

L2 Processing Date : Nov 20 2009

See [axaff62343N001\\_VV001\\_vvref2.pdf](#) for the full report

V&V Scientist	Beth Sundheim
V&V Date (YYYY-MM-DD)	2010.08.13
V&V Edition	1
V&V Disposition and Status	OK
V&V Charge Time	4.8395364622176

## Comments

The focal plane temperature is approximately -110C during this observation.

The ACIS CTI correction has not been calibrated at this temperature because it was early in the mission, and ACIS had not yet been lowered to the standard -119.7 C. Both front- and back-illuminated chips are affected. However, a T\_GAIN correction has been applied to the BI chip (ACIS-7) data included here.

The ACIS spectral response calibration is less accurate at these warmer temperatures than it is at -119.7 C. Users whose science objectives depend on the most accurate spectral response (ie: fitting line-rich spectra) may notice an effect. Users whose science objectives do not depend on the most accurate spectral response should not notice an effect.

seq_num	&#160	Sequence number
obs_id	62343	Observation id
title	ACIS-012367 diagnostics	Proposal title
observer	CHANDRA engineering request/realtime commanding	Principal investig
object	&#160	Source name
dtycle	0	&#160
cycle	P	events from which exps? Prim/Second/Both
ra_targ	0.0	Observer's specified target RA
dec_targ	0.0	Observer's specified target Dec
ra_nom	130.78419081561	Nominal RA
dec_nom	36.404634985162	Nominal Dec
roll_nom	72.3530166075	Nominal Roll
revision	4	Processing version of data
ontime	4839.5364622176	Sum of GTIs [s]
livetime	4778.255337514	Livetime [s]
ontime0	1920.6244824082	Sum of GTIs [s]
ontime1	1949.8349124044	Sum of GTIs [s]
ontime2	1826.7163723037	Sum of GTIs [s]
ontime3	1854.5635344237	Sum of GTIs [s]
ontime6	2066.594263047	Sum of GTIs [s]
ontime7	4839.5364622176	Sum of GTIs [s]
l2events	1318223	Number of level 2 events