

V&V Summary Report

L2 ASCDS Version : 8.4.5

Observation 62803 - L2 Version 5
Chandra X-Ray Center

L2 Processing Date : Aug 25 2012

See axaff62803N003_VV001_vvref2.pdf for the full report

V&V Scientist	Jen Lauer
V&V Date (YYYY-MM-DD)	2012.08.28
V&V Edition	1
V&V Disposition and Status	OK
V&V Charge Time	3.0366366525888

Comments

Squeegee mode diagnostic observation; bias map is non-standard.

seq_num	 	Sequence number
obs_id	62803	Observation id
title	ACIS-4 diagnostics; squeegee; S0 16 row	Proposal title
observer	CHANDRA engineering request/realtime commanding	Principal investig
object	 	Source name
dtcycle	0	
cycle	P	events from which exps? Prim/Second/Both
ra_targ	0.0	Observer's specified target RA [deg]
dec_targ	0.0	Observer's specified target Dec [deg]
ra_nom	60.043749612575	Nominal RA [deg]
dec_nom	49.991939126623	Nominal Dec [deg]
roll_nom	310.94223723003	Nominal Roll [deg]
revision	5	Processing version of data
ontime	3036.6366525888	Sum of GTIs [s]
livetime	2999.3358216433	Livetime [s]
ontime4	3036.6366525888	Sum of GTIs [s]
l2events	187822	Number of level 2 events