

# V&V Reference Report

## L2 ASCDS Version : 8.4.4

Observation 9663 - L2 Version 3  
Chandra X-Ray Center


L2 Processing Date : Aug 12 2012

## Contents

<b>1</b>	<b>Front</b>	<b>2</b>
<b>2</b>	<b>OBI</b>	<b>3</b>
2.1	OBI . . . . .	3
2.1.1	Images . . . . .	3
2.1.2	Parameters . . . . .	4
2.1.3	Events . . . . .	4
2.2	Compared Parameters . . . . .	5
2.3	Aspect . . . . .	6
2.4	Star Slots . . . . .	9
2.4.1	Slot 3 . . . . .	9
2.4.2	Slot 4 . . . . .	10
2.4.3	Slot 5 . . . . .	11
2.4.4	Slot 6 . . . . .	12
2.4.5	Slot 7 . . . . .	13
2.5	FID Slots . . . . .	14
2.5.1	Slot 0 . . . . .	14
2.5.2	Slot 1 . . . . .	15
2.5.3	Slot 2 . . . . .	16
<b>A</b>	<b>Summary</b>	<b>17</b>
A.1	Status . . . . .	17
A.2	Comments . . . . .	17

# 1 Front


seq_num	290786	Sequence number
obs_id	9663	Observation id
title	AO9 Calibration Observations to Monitor the Spatial Variations in the HRC-S Gain	Proposal title
observer	Dr. CXC Calibration	Principal investigator
object	ArLac	Source name
ra_targ	332.17	Observer's specified target RA [deg]
dec_targ	45.742306	Observer's specified target Dec [deg]
ra_nom	332.15548313527	Nominal RA [deg]
dec_nom	45.773686951191	Nominal Dec [deg]
roll_nom	191.43998415628	Nominal Roll [deg]
revision	3	Processing version of data
ontime	1335.8313156366	[s]
livetime	1323.9577932903	Ontime multiplied by DTCOR
l2events	85082	Number of level 2 events



## 2 OBI

### 2.1 OBI

#### 2.1.1 Images



### 2.1.2 Parameters

obi_num	0	Obi number	sched_exp_time	1180.000000	[s] Scheduled observation exposure time
ascdsver	8.4.5	Processing system revision	ontime	1335.8313156366	[s]
caldbver	4.5.1.1	&#160	l1events	129968	Number of level 1 events
date	2012-08-12T16:40:28	Date and time of file creation			
revision	3	Processing version of data			

### 2.1.3 Events

Level 1 Events



	<b>segment 1</b>	<b>segment 2</b>	<b>segment 3</b>
level 1 events	1104	127822	1042
rejected events	1104	25999	1020
rejected %	100%	20%	97%



## 2.2 Compared Parameters

Parameter	Planned	Actual
Instrument	HRC	HRC
Detector	HRC-S	HRC-S
Grating	NONE	NONE
Data mode	OBSERVING	OBSERVING
Observation mode	POINTING	POINTING
[deg] Pointing RA	332.183347	332.1554831352737
[deg] Pointing Dec	45.794153	45.77368695119138
[deg] Pointing Roll	191.352657	191.4399841562756
[mm] SIM focus pos	-1.533336	-1.526339935833849
[mm] SIM defocus	7.710433287538843e-07	0.006996703570447904
[mm] SIM translation stage pos	250.455976	250.466033080201
[mm] SIM translation stage offset	0	-0.01005468664627074
[s] Observation start time (MET)	336716283.184000	336715907.04541
Observation start date	2008-09-02T04:16:58	2008-09-02T04:11:47
[s] Observation end time (MET)	336717463.184000	336717596.75799
Observation end date	2008-09-02T04:36:38	2008-09-02T04:39:56

Parameter	Planned	Actual
Obspar format version number	7	7
Obspar file type	PREDICTED	ACTUAL
Obspar update status	NONE	UPDATED

## 2.3 Aspect






### Slot Statistics

slot	status	id	mag	n_pts	med_dy	med_dz	dr1	dr2	ra	dec	mean_y	mean_z
0	FID	HRC-S-1	7.02	334	0.011	-0.154	0.005	0.010	0.000000	0.000000	-1167.53	-461.31
1	FID	HRC-S-2	7.00	334	0.138	-0.048	0.008	0.015	0.000000	0.000000	1228.76	-455.27
2	FID	HRC-S-4	6.96	334	0.254	-0.101	0.007	0.012	0.000000	0.000000	1234.65	569.41
3	GUIDE	472527720	6.99	667	-0.128	-0.051	0.078	0.120	331.460205	45.112509	2286.28	2034.24
4	GUIDE	472533912	9.15	667	0.026	-0.016	0.116	0.199	331.791136	46.368695	555.27	-2221.14
5	GUIDE	472535576	7.87	667	-0.106	0.035	0.067	0.134	331.438373	46.291802	1467.49	-2135.13
6	GUIDE	472665256	9.00	667	0.197	0.075	0.082	0.136	332.808125	46.195041	-1805.31	-1120.10
7	GUIDE	472523760	8.22	666	0.013	-0.054	0.065	0.101	331.645363	45.403260	1610.47	1103.82






## 2.4 Star Slots




### 2.4.1 Slot 3






## 2.4.2 Slot 4






### 2.4.3 Slot 5



## 2.4.4 Slot 6




## 2.4.5 Slot 7




## 2.5 FID Slots


### 2.5.1 Slot 0



## 2.5.2 Slot 1



### 2.5.3 Slot 2





## A Summary

### A.1 Status

V&V Scientist	Beth Sundheim
V&V Date (YYYY-MM-DD)	2012.08.16
V&V Edition	1
V&V Disposition and Status	OK
V&V Charge Time	1.33583131

### A.2 Comments