

V&V Summary Report

L2 ASCDS Version : 8.4.5

Observation 3474 - L2 Version 3
Chandra X-Ray Center

L2 Processing Date : Oct 7 2012

See axaff03474N002-VV001_vvref2.pdf for the full report

V&V Scientist	Beth Sundheim
V&V Date (YYYY-MM-DD)	2012.10.16
V&V Edition	1
V&V Disposition and Status	OK
V&V Charge Time	9.625

Comments

Window preference met.

seq_num	590273	Sequence number
obs_id	3474	Observation id
title	AO3A CALIBRATION OBSERVATIONS THE STANDARD CANDLES CAS A AND G21.5-09	Proposal title
observer	Dr. CXC Calibration	Principal investigator
object	G21.5-0.9 [Chip S3, T=120, Offsets=-1,0,0]	Source name
dtcycle	0	
cycle	P	events from which exps? Prim/Second/Both
ra_targ	278.389583	Observer's specified target RA [deg]
dec_targ	-10.568528	Observer's specified target Dec [deg]
ra_nom	278.44060517316	Nominal RA [deg]
dec_nom	-10.462411192013	Nominal Dec [deg]
roll_nom	106.70724938913	Nominal Roll [deg]
revision	3	Processing version of data
ontime	9624.9999478161	Sum of GTIs [s]
livetime	9278.8157668423	Livetime [s]
ontime2	9624.9999478161	Sum of GTIs [s]
ontime3	9624.9999478161	Sum of GTIs [s]
ontime5	9624.9999478161	Sum of GTIs [s]
ontime6	9624.9999478161	Sum of GTIs [s]
ontime7	9624.9999478161	Sum of GTIs [s]
ontime8	9624.9999478161	Sum of GTIs [s]
l2events	54481	Number of level 2 events

