V&V Summary Report L2 ASCDS Version: 8.5.1.1

Observation 59385 - L2 Version 4 Chandra X-Ray Center

L2 Processing Date : Mar 7 2013

See axaff $59385N004_VV001_vvref2.pdf$ for the full report

V&V Scientist	Jen Lauer
V&V Date (YYYY-MM-DD)	2013.03.08
V&V Edition	1
V&V Disposition and Status	OK
V&V Charge Time	7.8015999709368

Comments

As a consequence of the DEA-A shutdown anomaly on Sep 15th (DOY258), the reported value of the ACIS FP temperature was ~1.3 degrees warmer than the actual temperature. The value for FP temperature reported in the headers of the Level 2 event file and the Mission Timeline files are incorrect by this amount for this processing. However, the temperature is corrected in the processing in order to obtain the correct temperature for the CTI correction. So the calibrated data are correct. If using the FP temp values in the headers of data files (some CIAO tools require this information), investigators should subtract 1.3 degrees from the reported temperature to determine the true temperature.

seq_num	& #160	Sequence number
obs_id	59385	Observation id
title	ACIS-012367 diagnostics	Proposal title
observer	CHANDRA engineering request/realtime commanding	Principal investig
object	& #160	Source name
dtycycle	0	& #160
cycle	P	events from which exps? Prim/Second/Both
ra_targ	0.0	Observer's specified target RA [deg]
dec_targ	0.0	Observer's specified target Dec [deg]
ra_nom	15.954713819796	Nominal RA [deg]
dec_nom	36.98211438869	Nominal Dec [deg]
roll_nom	190.5207948671	Nominal Roll [deg]
revision	4	Processing version of data
ontime	7801.5999709368	Sum of GTIs [s]
livetime	7702.8114145452	Livetime [s]
ontime0	7801.5999709368	Sum of GTIs [s]
ontime1	7801.5999709368	Sum of GTIs [s]
ontime2	7801.5999709368	Sum of GTIs [s]
ontime3	7801.5999709368	Sum of GTIs [s]
ontime6	7801.5999709368	Sum of GTIs [s]
ontime7	7801.5999709368	Sum of GTIs [s]
12events	1001856	Number of level 2 events