

V&V Summary Report

L2 ASCDS Version : 8.4.5

Observation 14276 - L2 Version 2
Chandra X-Ray Center

L2 Processing Date : Jul 28 2012

See axaff14276N002_VV001_vvref2.pdf for the full report

V&V Scientist	Beth Sundheim
V&V Date (YYYY-MM-DD)	2012.08.06
V&V Edition	1
V&V Disposition and Status	OK
V&V Charge Time	49.626402646065

Comments

Window preference met.

This observation was performed with a large SIM offset. As a result, the fid light positions are offset beyond normally expected ranges. Slot 2 was not utilized in this observation.

seq_num	990019	Sequence number
obs_id	14276	Observation id
title	AO-13 Calibration Observations of the ACIS charged particle background	Proposal title
observer	Dr. CXC Calibration	Principal investigator
object	Proxima Cen	Source name
ra_targ	217.400388	Observer's specified target RA [deg]
dec_targ	-62.676832	Observer's specified target Dec [deg]
ra_nom	216.92780960343	Nominal RA [deg]
dec_nom	-62.805323627171	Nominal Dec [deg]
roll_nom	298.43102915283	Nominal Roll [deg]
revision	2	Processing version of data
ontime	49626.402646065	[s]
livetime	45763.54394146	Ontime multiplied by DTCOR
l2events	63889	Number of level 2 events

