

V&V Summary Report

L2 ASCDS Version : 7.6.8.1

Observation 3876 - L2 Version 001
Chandra X-Ray Center

L2 Processing Date : Aug 10 2006

See [axaff03876N001_VV001_vvref2.pdf](#) for the full report

V&V Scientist	Beth Sundheim
V&V Date (YYYY-MM-DD)	2006.08.10
V&V Edition	1
V&V Disposition and Status	OK
V&V Charge Time	49.61

Comments

Focal plane temperature is warmer than -118 degrees during initial ~5 ksec of observation. The ACIS calibrations are not verified or necessarily applicable for focal plane temperatures warmer than -118 degrees.

seq_num	500355
obs_id	3876
title	DEM L71: SHOCK PHYSICS AT HIGH RESOLUTION
observer	Dr. Cara Rakowski
object	DEM L71
dtcycle	0
cycle	P
ra_targ	76.42375
dec_targ	-67.877222
ra_nom	76.387632066181
dec_nom	-67.869288176964
roll_nom	155.95316665876
revision	2
ontime	49612.594943821
livetime	48984.370393525
ontime2	49609.353963733
ontime3	49602.872033149
ontime5	49619.076944262
ontime6	49615.835914075
ontime7	49612.594943821
ontime8	49619.077023864
l2events	628389

