

V&V Summary Report

L2 ASCDS Version : 8.4.3

Observation 14277 - L2 Version 3
Chandra X-Ray Center

L2 Processing Date : Jul 28 2012

See axaff14277N003_VV001_vvref2.pdf for the full report

V&V Scientist	Beth Sundheim
V&V Date (YYYY-MM-DD)	2012.08.06
V&V Edition	1
V&V Disposition and Status	OK
V&V Charge Time	51.723552723944

Comments

Window preference met.

This observation was performed with a large SIM offset. As a result, the fid light positions are offset beyond normally expected ranges. Slot 2 was not utilized in this observation.

seq_num	990020	Sequence number
obs_id	14277	Observation id
title	AO-13 Calibration Observations of the ACIS charged particle background	Proposal title
observer	Dr. CXC Calibration	Principal investigator
object	31 Com	Source name
ra_targ	192.924583	Observer's specified target RA [deg]
dec_targ	27.540722	Observer's specified target Dec [deg]
ra_nom	193.10851253849	Nominal RA [deg]
dec_nom	27.348986491802	Nominal Dec [deg]
roll_nom	37.744842382978	Nominal Roll [deg]
revision	3	Processing version of data
ontime	51690.752726078	[s]
livetime	45422.215769168	Ontime multiplied by DTCOR
l2events	90435	Number of level 2 events

