

V&V Summary Report

L2 ASCDS Version : 10.4.3.1

Observation 18437 - L2 Version 1
Chandra X-Ray Center

L2 Processing Date : Apr 17 2016

See axaff18437N001_VV001_vvref2.pdf for the full report

V&V Scientist	Beth Sundheim
V&V Date (YYYY-MM-DD)	2016.04.19
V&V Edition	1
V&V Disposition and Status	OK
V&V Charge Time	15.074213982463

Comments

Window preference met.

The SIM position is outside the current calibrated range of the fid lights.

seq_num	890130	Sequence number
obs_id	18437	Observation id
title	AO-17 Calibration Observations of A1795	Proposal title
observer	Dr. CXC Calibration	Principal investigator
object	A1795	Source name
dtcycle	0	
cycle	P	events from which exps? Prim/Second/Both
ra_targ	207.219583	Observer's specified target RA [deg]
dec_targ	26.590833	Observer's specified target Dec [deg]
ra_nom	207.35626771951	Nominal RA [deg]
dec_nom	26.571820373389	Nominal Dec [deg]
roll_nom	176.43930843651	Nominal Roll [deg]
revision	1	Processing version of data
ontime	15074.213982463	Sum of GTIs [s]
livetime	14877.258279307	Livetime [s]
ontime0	15074.213982463	Sum of GTIs [s]
ontime1	15074.255022407	Sum of GTIs [s]
ontime2	15074.296062469	Sum of GTIs [s]
ontime3	15074.337102413	Sum of GTIs [s]
ontime6	15074.1729424	Sum of GTIs [s]
l2events	89962	Number of level 2 events

