

V&V Summary Report

L2 ASCDS Version : 8.2.1

Observation 67 - L2 Version 3
Chandra X-Ray Center

L2 Processing Date : Jan 12 2010

See axaff00067N001_VV001_vvref2.pdf for the full report

V&V Scientist	Joy Nichols
V&V Date (YYYY-MM-DD)	2010.01.19
V&V Edition	1
V&V Disposition and Status	OK
V&V Charge Time	9.797

Comments

Boresight and plate scale calibration.

=====
The fid light in slot 1 was removed from the aspect solution due to poor data quality. The aspect solution is not expected to be degraded by removing one fid light from the solution.

seq_num	290036	Sequence number
obs_id	67	Observation id
title	CALIBRATION OBSERVATION NGC 2516 FOR BORESIGHTING AND PLATE SCALE	
observer	Dr. CXC Calibration	Principal investigator
object	NGC 2516	Source name
ra_targ	119.529583	Observer's specified target RA
dec_targ	-60.76	Observer's specified target Dec
ra_nom	119.52571910166	Nominal RA
dec_nom	-60.75536525322	Nominal Dec
roll_nom	137.26511747962	Nominal Roll
revision	3	Processing version of data
ontime	9797.2066018581	[s]
livetime	9715.3725700906	Overtime multiplied by DTCOR
l2events	377699	Number of level 2 events

