

V&V Reference Report

L2 ASCDS Version : 8.4.5

Observation 14318 - L2 Version 2
Chandra X-Ray Center


L2 Processing Date : Nov 27 2014

Contents

1	Front	2
2	OBI	3
2.1	OBI	3
2.1.1	Images	3
2.1.2	Parameters	4
2.1.3	Events	4
2.2	Compared Parameters	5
2.3	Aspect	6
2.4	Star Slots	9
2.4.1	Slot 3	9
2.4.2	Slot 4	10
2.4.3	Slot 5	11
2.4.4	Slot 6	12
2.4.5	Slot 7	13
2.5	FID Slots	14
2.5.1	Slot 0	14
2.5.2	Slot 1	15
2.5.3	Slot 2	16
A	Summary	17
A.1	Status	17
A.2	Comments	17

1 Front


seq_num	291069	Sequence number
obs_id	14318	Observation id
title	AO-13 Calibration Observations to Monitor the Spatial Variations in the HRC-I Gain	Proposal title
observer	Dr. CXC Calibration	Principal investigator
object	ArLac	Source name
ra_targ	332.17	Observer's specified target RA [deg]
dec_targ	45.742306	Observer's specified target Dec [deg]
ra_nom	332.18208634274	Nominal RA [deg]
dec_nom	45.975502700188	Nominal Dec [deg]
roll_nom	221.98215918207	Nominal Roll [deg]
revision	2	Processing version of data
ontime	1188.2313137054	[s]
livetime	1178.2723139026	Ontime multiplied by DTCOR
l2events	74677	Number of level 2 events



2 OBI

2.1 OBI

2.1.1 Images



2.1.2 Parameters

obi_num	0	Obi number	sched_exp_time	1000.000000	[s] Scheduled observation exposure time
ascdsver	10.3	Processing system revision	ontime	1188.2313137054	[s]
caldsver	4.6.4	 	l1events	129158	Number of level 1 events
date	2014-11-27T16:45:19	Date and time of file creation			
revision	2	Processing version of data			

2.1.3 Events

Level 1 Events



	segment 0
level 1 events	129158
rejected events	27438
rejected %	21%



2.2 Compared Parameters

Parameter	Planned	Actual
Instrument	HRC	HRC
Detector	HRC-I	HRC-I
Grating	NONE	NONE
Data mode	OBSERVING	OBSERVING
Observation mode	POINTING	POINTING
[deg] Pointing RA	332.192785	332.1820863427418
[deg] Pointing Dec	46.002290	45.97550270018812
[deg] Pointing Roll	222.069558	221.9821591820675
[mm] SIM focus pos	-1.040293	-1.038866356238299
[mm] SIM defocus	0	0.001426264420575141
[mm] SIM translation stage pos	126.985494	126.9829799899862
[mm] SIM translation stage offset	0	0.002508901615314585
[s] Observation start time (MET)	465131918.184000	465131542.06
Observation start date	2012-09-27T11:17:31	2012-09-27T11:12:22
[s] Observation end time (MET)	465132918.184000	465133052.39758
Observation end date	2012-09-27T11:34:11	2012-09-27T11:37:32

Parameter	Planned	Actual
Obspar format version number	7	7
Obspar file type	PREDICTED	ACTUAL
Obspar update status	NONE	UPDATED

2.3 Aspect








Slot Statistics




slot	status	used	id	mag	n_pts	med_dy	med_dz	dr1	dr2	ra	dec	mean_y	mean_z
0	FID		HRC-I-1	7.03	291	-0.113	0.016	0.007	0.011	0.000000	0.000000	-774.89	-1301.16
1	FID		HRC-I-2	7.07	291	0.305	-0.168	0.005	0.011	0.000000	0.000000	835.49	-1307.40
2	FID		HRC-I-3	7.12	291	-0.073	0.062	0.006	0.014	0.000000	0.000000	-1200.45	998.96
3	GUIDE	used	472533912	9.16	581	0.196	0.001	0.117	0.186	331.791136	46.368695	-144.71	-1652.09
4	GUIDE	used	472535576	7.86	581	-0.191	0.108	0.074	0.123	331.438373	46.291802	688.38	-2042.84
5	GUIDE	used	472655152	9.43	576	0.064	-0.110	0.140	0.234	332.504239	45.862991	-243.88	888.16
6	GUIDE	used	472665256	9.01	580	0.045	-0.171	0.094	0.152	332.808125	46.195041	-1607.94	506.51
7	GUIDE	used	472536328	8.13	580	-0.121	0.174	0.059	0.098	331.496671	46.454831	182.15	-2373.18

2.4 Star Slots




2.4.1 Slot 3






2.4.2 Slot 4






2.4.3 Slot 5



2.4.4 Slot 6




2.4.5 Slot 7




2.5 FID Slots


2.5.1 Slot 0



2.5.2 Slot 1



2.5.3 Slot 2



A Summary

A.1 Status

V&V Scientist	Beth Sundheim
V&V Date (YYYY-MM-DD)	2014.12.02
V&V Edition	1
V&V Disposition and Status	OK
V&V Charge Time	1.1882313137054

A.2 Comments

These data have been reprocessed with new aspect alignment calibration files that correct small mean offsets (up to 0.4 arcsecs) and improve overall astrometric accuracy. The new calibration was determined using data from the time period being reprocessed and was performed using cross-correlation of X-ray sources with radio and optical counterparts.