

V&V Summary Report

L2 ASCDS Version : 8.1.1

Observation 62318 - L2 Version 4
Chandra X-Ray Center

L2 Processing Date : Nov 21 2009

See [axaff62318N001_VV001_vvref2.pdf](#) for the full report

V&V Scientist	Beth Sundheim
V&V Date (YYYY-MM-DD)	2010.08.12
V&V Edition	1
V&V Disposition and Status	OK
V&V Charge Time	4.9247842100039

Comments

This observation was acquired with the focal plane temperature raised from -120C to -110C, for attempted recalibration of ACIS for the 1999-09-16 through 2000-01-28 period. This reprocessing of the data applies no CTI correction because none is available for that temperature.

seq_num	 	Sequence number
obs_id	62318	Observation id
title	ACIS-012367 diagnostics	Proposal title
observer	CHANDRA engineering request/realtime commanding	Principal investig
object	 	Source name
dtycle	0	
cycle	P	events from which exps? Prim/Second/Both
ra_targ	0.0	Observer's specified target RA
dec_targ	0.0	Observer's specified target Dec
ra_nom	153.38496639882	Nominal RA
dec_nom	49.416702092523	Nominal Dec
roll_nom	64.335431736616	Nominal Roll
revision	4	Processing version of data
ontime	4924.7842100039	Sum of GTIs [s]
livetime	4862.4236269878	Livetime [s]
ontime0	1891.197317116	Sum of GTIs [s]
ontime1	1927.961692974	Sum of GTIs [s]
ontime2	1814.566392608	Sum of GTIs [s]
ontime3	1832.8587067127	Sum of GTIs [s]
ontime6	2038.2391032502	Sum of GTIs [s]
ontime7	4924.7842100039	Sum of GTIs [s]
l2events	1301901	Number of level 2 events