V&V Summary Report L2 ASCDS Version: 8.1.1

Observation 62328 - L2 Version 4 Chandra X-Ray Center

L2 Processing Date: Nov 21 2009

See axaff62328N001_VV001_vvref2.pdf for the full report

V&V Scientist	Beth Sundheim
V&V Date (YYYY-MM-DD)	2010.08.13
V&V Edition	1
V&V Disposition and Status	OK
V&V Charge Time	4.920638356477

Comments

The focal plane temperature is approximately -110C during this observation.

The ACIS CTI correction has not been calibrated at this temperature because it was early in the mission, and ACIS had not yet been lowered to the standard -119.7 C. Both front- and back-illuminated chips are affected. However, a T_GAIN correction has been applied to the BI chip (ACIS-7) data included here.

The ACIS spectral response calibration is less accurate at these warmer temperatures than it is at -119.7 C. Users whose science objectives depend on the most accurate spectral response (ie: fitting line-rich spectra) may notice an effect. Users whose science objectives do not depend on the most accurate spectral response should not notice an effect.

seq_num	& #160	Sequence number
obs_id	62328	Observation id
title	ACIS-012367 diagnostics	Proposal title
observer	CHANDRA engineering request/realtime commanding	Principal investig
object	& #160	Source name
dtycycle	0	& #160
cycle	P	events from which exps? Prim/Second/Both
ra_targ	0.0	Observer's specified target RA
dec_targ	0.0	Observer's specified target Dec
ra_nom	83.817707145155	Nominal RA
dec_nom	-5.3900036878649	Nominal Dec
roll_nom	67.714354269383	Nominal Roll
revision	4	Processing version of data
ontime	4920.638356477	Sum of GTIs [s]
livetime	4858.3302707546	Livetime [s]
ontime0	1907.685522683	Sum of GTIs [s]
ontime1	1949.8601127118	Sum of GTIs [s]
ontime2	1829.9826923981	Sum of GTIs [s]
ontime3	1855.746912308	Sum of GTIs [s]
ontime6	2060.1376027763	Sum of GTIs [s]
ontime7	4920.638356477	Sum of GTIs [s]
12events	1314028	Number of level 2 events